



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Apache::AuthCookie::FAQ.3pm'

\$ man Apache::AuthCookie::FAQ.3pm

Apache::AuthCookie::FAQ(3pm) User Contributed Perl Documentation Apache::AuthCookie::FAQ(3pm)

NAME

Apache::AuthCookie::FAQ - Frequently Asked Questions about Apache::AuthCookie.

VERSION

version 3.31

DESCRIPTION

This document serves to answer the most frequently asked questions about Apache::AuthCookie.

How can I protect an entire site (/) with Apache::AuthCookie?

You have to give an Apache "require" directive that applies to all requests for except for your login handler. The easiest way to do this is to override the auth handlers for your login script. For example, if your login handler is "/LOGIN", then you need to use something like the following:

```
<Location />
```

```
AuthType My::AuthCookieHandler
```

```
AuthName Whatever
```

```
PerlAuthenHandler My::AuthCookieHandler->authenticate
```

```
PerlAuthzHandler My::AuthCookieHandler->authorize
```

```
require valid-user
```

```
</Location>
```

```
<Location /LOGIN>
```

```
PerlAuthenHandler Apache2::Const::OK
```

```
PerlAuthzHandler Apache2::Const::OK
```

```
</Location>
```

```
...
```

SOURCE

The development version is on github at

<https://github.com/mschout/apache-authcookie> and may be cloned from

<https://github.com/mschout/apache-authcookie.git>

BUGS

Please report any bugs or feature requests on the bugtracker website

<https://github.com/mschout/apache-authcookie/issues>

When submitting a bug or request, please include a test-file or a patch to an existing test-file that illustrates the bug or desired feature.

AUTHOR

Michael Schout <mschout@cpan.org>

COPYRIGHT AND LICENSE

This software is copyright (c) 2000 by Ken Williams.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.