



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'Apache::Session::Store::File.3pm'***

***\$ man Apache::Session::Store::File.3pm***

Apache::Session::Store::File(3pUser Contributed Perl DocumentatiApache::Session::Store::File(3pm)

### NAME

Apache::Session::Store::File - Store persistent data on the filesystem

### SYNOPSIS

```
use Apache::Session::Store::File;

my $store = Apache::Session::Store::File->new;

$store->insert($ref);

$store->update($ref);

$store->materialize($ref);

$store->remove($ref);
```

### DESCRIPTION

This module fulfills the storage interface of Apache::Session. The serialized objects are stored in files on your filesystem.

### OPTIONS

This module requires one argument in the usual Apache::Session style. The name of the option is Directory, and the value is the full path of the directory where you wish to place the files. Example

```
tie %s, 'Apache::Session::File', undef,
    {Directory => '/tmp/sessions'};
```

### NOTES

All session objects are stored in the same directory. Some filesystems, such as Linux's ext2fs, have O(n) performance where n is the number of files in a directory. Other filesystems, like Sun's UFS, and Linux's reiserfs, do not have this problem. You should

consider your filesystem's performance before using this module to store many objects.

#### AUTHOR

This module was written by Jeffrey William Baker <jwbaker@acm.org>.

#### SEE ALSO

Apache::Session

perl v5.30.3

2020-09-20

Apache::Session::Store::File(3pm)