



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Authen::SASL::Perl::CRAM\_MD5.3pm'***

***\$ man Authen::SASL::Perl::CRAM\_MD5.3pm***

Authen::SASL::Perl::CRAM\_MD5(3pUser Contributed Perl DocumentatiAuthen::SASL::Perl::CRAM\_MD5(3pm)

**NAME**

Authen::SASL::Perl::CRAM\_MD5 - CRAM MD5 Authentication class

**SYNOPSIS**

```
use Authen::SASL qw(Perl);

$sasl = Authen::SASL->new(
    mechanism => 'CRAM-MD5',
    callback => {
        user => $user,
        pass => $pass
    },
);
```

**DESCRIPTION**

This method implements the client part of the CRAM-MD5 SASL algorithm, as described in RFC 2195 resp. in IETF Draft draft-ietf-sasl-crammd5-XX.txt.

**CALLBACK**

The callbacks used are:

user

The username to be used for authentication

pass

The user's password to be used for authentication

## SEE ALSO

Authen::SASL, Authen::SASL::Perl

## AUTHORS

Software written by Graham Barr <gbarr@pobox.com>, documentation written by Peter Marschall <peter@adpm.de>.

Please report any bugs, or post any suggestions, to the perl-ldap mailing list  
<perl-ldap@perl.org>

## COPYRIGHT

Copyright (c) 2002-2004 Graham Barr. All rights reserved. This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

Documentation Copyright (c) 2004 Peter Marschall. All rights reserved. This documentation is distributed, and may be redistributed, under the same terms as Perl itself.

perl v5.32.0

2020-12-18

Authen::SASL::Perl::CRAM\_MD5(3pm)