



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Crypt::Cipher::RC2.3pm'

\$ man Crypt::Cipher::RC2.3pm

Crypt::Cipher::RC2(3pm) User Contributed Perl Documentation Crypt::Cipher::RC2(3pm)

NAME

Crypt::Cipher::RC2 - Symmetric cipher RC2, key size: 40-1024 bits

SYNOPSIS

```
### example 1
```

```
use Crypt::Mode::CBC;
```

```
my $key = '...'; # length has to be valid key size for this cipher
```

```
my $iv = '...'; # 16 bytes
```

```
my $cbc = Crypt::Mode::CBC->new('RC2');
```

```
my $ciphertext = $cbc->encrypt("secret data", $key, $iv);
```

```
### example 2 (slower)
```

```
use Crypt::CBC;
```

```
use Crypt::Cipher::RC2;
```

```
my $key = '...'; # length has to be valid key size for this cipher
```

```
my $iv = '...'; # 16 bytes
```

```
my $cbc = Crypt::CBC->new( -cipher=>'Cipher::RC2', -key=>$key, -iv=>$iv );
```

```
my $ciphertext = $cbc->encrypt("secret data");
```

DESCRIPTION

This module implements the RC2 cipher. Provided interface is compliant with Crypt::CBC module.

BEWARE: This module implements just elementary "one-block-(en|de)cryption" operation - if you want to encrypt/decrypt generic data you have to use some of the cipher block modes - check for example Crypt::Mode::CBC, Crypt::Mode::CTR or Crypt::CBC (which will be slower).

METHODS

new

```
$c = Crypt::Cipher::RC2->new($key);
```

#or

```
$c = Crypt::Cipher::RC2->new($key, $rounds);
```

encrypt

```
$ciphertext = $c->encrypt($plaintext);
```

decrypt

```
$plaintext = $c->decrypt($ciphertext);
```

keysize

```
$c->keysize;
```

#or

```
Crypt::Cipher::RC2->keysize;
```

#or

```
Crypt::Cipher::RC2::keysize;
```

blocksize

```
$c->blocksize;
```

#or

```
Crypt::Cipher::RC2->blocksize;
```

#or

```
Crypt::Cipher::RC2::blocksize;
```

max_keysize

```
$c->max_keysize;
```

#or

```
Crypt::Cipher::RC2->max_keysize;
```

#or

```
Crypt::Cipher::RC2::max_keysize;
```

min_keysize

```
$c->min_keysize;
```

#or

```
Crypt::Cipher::RC2->min_keysize;
```

#or

```
Crypt::Cipher::RC2::min_keysize;
```

default_rounds

```
$c->default_rounds;
```

#or

```
Crypt::Cipher::RC2->default_rounds;
```

#or

```
Crypt::Cipher::RC2::default_rounds;
```

SEE ALSO

? CryptX, Crypt::Cipher

? <<https://en.wikipedia.org/wiki/RC2>>

perl v5.34.0

2022-02-06

Crypt::Cipher::RC2(3pm)