



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'DBD::Gofer::Policy::rush.3pm'

\$ man DBD::Gofer::Policy::rush.3pm

DBD::Gofer::Policy::rush(3pm) User Contributed Perl Documentation DBD::Gofer::Policy::rush(3pm)

NAME

DBD::Gofer::Policy::rush - The 'rush' policy for DBD::Gofer

SYNOPSIS

```
$dbh = DBI->connect("dbi:Gofer:transport=...;policy=rush", ...)
```

DESCRIPTION

The "rush" policy tries to make as few round-trips as possible. It's the opposite end of the policy spectrum to the "pedantic" policy.

Temporary docs: See the source code for list of policies and their defaults.

In a future version the policies and their defaults will be defined in the pod and parsed out at load-time.

AUTHOR

Tim Bunce, <<http://www.tim.bunce.name>>

LICENCE AND COPYRIGHT

Copyright (c) 2007, Tim Bunce, Ireland. All rights reserved.

This module is free software; you can redistribute it and/or modify it under the same terms as Perl itself. See perlartistic.

perl v5.34.0

2022-02-06

DBD::Gofer::Policy::rush(3pm)