



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Encode::TW.3perl'

\$ man Encode::TW.3perl

Encode::TW(3perl) Perl Programmers Reference Guide Encode::TW(3perl)

NAME

Encode::TW - Taiwan-based Chinese Encodings

SYNOPSIS

```
use Encode qw/encode decode/;

$big5 = encode("big5", $utf8); # loads Encode::TW implicitly

$utf8 = decode("big5", $big5); # ditto
```

DESCRIPTION

This module implements tradition Chinese charset encodings as used in Taiwan and Hong Kong. Encodings supported are as follows.

Canonical	Alias	Description

big5-eten	<code>\bbig5-?5\$/i</code>	Big5 encoding (with ETen extensions)
	<code>\bbig5-?et(en)?\$/i</code>	
	<code>\btca-?big5\$/i</code>	
big5-hkscs	<code>\bbig5-?hk(scsc)?\$/i</code>	
	<code>\bhk(scsc)?-?big5\$/i</code>	
		Big5 + Cantonese characters in Hong Kong
MacChineseTrad		Big5 + Apple Vendor Mappings
cp950		Code Page 950
		= Big5 + Microsoft vendor mappings

To find out how to use this module in detail, see Encode.

NOTES

Due to size concerns, "EUC-TW" (Extended Unix Character), "CCCII" (Chinese Character Code for Information Interchange), "BIG5PLUS" (CMEX's Big5+) and "BIG5EXT" (CMEX's Big5e) are distributed separately on CPAN, under the name Encode::HanExtra. That module also contains extra China-based encodings.

BUGS

Since the original "big5" encoding (1984) is not supported anywhere (glibc and DOS-based systems uses "big5" to mean "big5-eten"; Microsoft uses "big5" to mean "cp950"), a conscious decision was made to alias "big5" to "big5-eten", which is the de facto superset of the original big5.

The "CNS11643" encoding files are not complete. For common "CNS11643" manipulation, please use "EUC-TW" in Encode::HanExtra, which contains planes 1-7.

The ASCII region (0x00-0x7f) is preserved for all encodings, even though this conflicts with mappings by the Unicode Consortium.

SEE ALSO

Encode

perl v5.34.0

2023-11-23

Encode::TW(3perl)