



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ExtUtils::Miniperl.3perl'

\$ man ExtUtils::Miniperl.3perl

ExtUtils::Miniperl(3perl) Perl Programmers Reference Guide ExtUtils::Miniperl(3perl)

NAME

ExtUtils::Miniperl - write the C code for miniperlmain.c and perlmain.c

SYNOPSIS

```
use ExtUtils::Miniperl;

writemain(@directories);

# or

writemain($fh, @directories);

# or

writemain(\$filename, @directories);
```

DESCRIPTION

"writemain()" takes an argument list of zero or more directories containing archive libraries that relate to perl modules and should be linked into a new perl binary. It writes a corresponding miniperlmain.c or perlmain.c file that is a plain C file containing all the bootstrap code to make the modules associated with the libraries available from within perl. If the first argument to "writemain()" is a reference to a scalar it is used as the filename to open for output. Any other reference is used as the filehandle to write to. Otherwise output defaults to "STDOUT".

regen/miniperlmain.pl (to build miniperlmain.c). So under normal circumstances you won't have to deal with this module directly.

SEE ALSO

ExtUtils::MakeMaker

perl v5.34.0

2023-11-23

ExtUtils::Miniperl(3perl)