



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'File::Spec::Cygwin.3perl'

\$ man File::Spec::Cygwin.3perl

File::Spec::Cygwin(3perl) Perl Programmers Reference Guide File::Spec::Cygwin(3perl)

NAME

File::Spec::Cygwin - methods for Cygwin file specs

SYNOPSIS

```
require File::Spec::Cygwin; # Done internally by File::Spec if needed
```

DESCRIPTION

See File::Spec and File::Spec::Unix. This package overrides the implementation of these methods, not the semantics.

This module is still in beta. Cygwin-knowledgeable folks are invited to offer patches and suggestions.

canonpath

Any "\" (backslashes) are converted to "/" (forward slashes), and then

File::Spec::Unix canonpath() is called on the result.

file_name_is_absolute

True is returned if the file name begins with "drive_letter:", and if not,

File::Spec::Unix file_name_is_absolute() is called.

tmpdir (override)

Returns a string representation of the first existing directory from the following

list:

`$ENV{TMPDIR}`

`/tmp`

`$ENV{"TMP"}`

`$ENV{"TEMP"}`

C:/temp

If running under taint mode, and if the environment variables are tainted, they are not used.

case_tolerant

Override Unix. Cygwin case-tolerance depends on managed mount settings and as with MsWin32 on GetVolumeInformation() \$ouFsFlags == FS_CASE_SENSITIVE, indicating the case significance when comparing file specifications. Default: 1

COPYRIGHT

Copyright (c) 2004,2007 by the Perl 5 Porters. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

perl v5.34.0

2023-11-23

File::Spec::Cygwin(3perl)