



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'HTML::FormatMarkdown.3pm'***

***\$ man HTML::FormatMarkdown.3pm***

HTML::FormatMarkdown(3pm) User Contributed Perl Documentation HTML::FormatMarkdown(3pm)

NAME

HTML::FormatMarkdown - Format HTML as Markdown

VERSION

version 2.12

SYNOPSIS

```
use HTML::FormatMarkdown;
```

```
my $string = HTML::FormatMarkdown->format_file(  
    'test.html'  
);
```

```
open my $fh, ">", "test.md" or die "$!\n";
```

```
print $fh $string;
```

```
close $fh;
```

DESCRIPTION

HTML::FormatMarkdown is a formatter that outputs Markdown.

to this - especially "new" in HTML::Formatter, "format\_file" in HTML::Formatter and "format\_string" in HTML::Formatter.

## INSTALLATION

See perlmodinstall for information and options on installing Perl modules.

## BUGS AND LIMITATIONS

You can make new bug reports, and view existing ones, through the web interface at <http://rt.cpan.org/Public/Dist/Display.html?Name=HTML-Format>.

## AVAILABILITY

The project homepage is <https://metacpan.org/release/HTML-Format>.

The latest version of this module is available from the Comprehensive Perl Archive Network (CPAN). Visit <http://www.perl.com/CPAN/> to find a CPAN site near you, or see <https://metacpan.org/module/HTML::Format/>.

## AUTHORS

? Nigel Metheringham <nigel@cpa.org>

? Sean M Burke <sburke@cpa.org>

? Gisle Aas <gisle@ActiveState.com>

## COPYRIGHT AND LICENSE

This software is copyright (c) 2015 by Nigel Metheringham, 2002-2005 Sean M Burke, 1999-2002 Gisle Aas.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.