



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Locale::RecodeData::EBCDIC\_AT\_DE.3pm'***

***\$ man Locale::RecodeData::EBCDIC\_AT\_DE.3pm***

Locale::RecodeData::EBCDIC\_AT\_DE User Contributed Perl Document Locale::RecodeData::EBCDIC\_AT\_DE(3pm)

NAME

Locale::RecodeData::EBCDIC\_AT\_DE - Conversion routines for EBCDIC\_AT\_DE

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for EBCDIC-AT-DE.

COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: IBM 3270 Char Set Ref Ch 10, GA27-2837-9, April 1987

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

Local	ISO-10646	Description
00	00000000	NULL (NUL)
01	00000001	START OF HEADING (SOH)
02	00000002	START OF TEXT (STX)
03	00000003	END OF TEXT (ETX)
04	0000009C	STRING TERMINATOR (ST)
05	00000009	CHARACTER TABULATION (HT)

06 | 00000086 | START OF SELECTED AREA (SSA)  
07 | 0000007F | DELETE (DEL)  
08 | 00000097 | END OF GUARDED AREA (EPA)  
09 | 0000008D | REVERSE LINE FEED (RI)  
0A | 0000008E | SINGLE-SHIFT TWO (SS2)  
0B | 0000000B | LINE TABULATION (VT)  
0C | 0000000C | FORM FEED (FF)  
0D | 0000000D | CARRIAGE RETURN (CR)  
0E | 0000000E | SHIFT OUT (SO)  
0F | 0000000F | SHIFT IN (SI)  
10 | 00000010 | DATALINK ESCAPE (DLE)  
11 | 00000011 | DEVICE CONTROL ONE (DC1)  
12 | 00000012 | DEVICE CONTROL TWO (DC2)  
13 | 00000013 | DEVICE CONTROL THREE (DC3)  
14 | 0000009D | OPERATING SYSTEM COMMAND (OSC)  
15 | 00000085 | NEXT LINE (NEL)  
16 | 00000008 | BACKSPACE (BS)  
17 | 00000087 | END OF SELECTED AREA (ESA)  
18 | 00000018 | CANCEL (CAN)  
19 | 00000019 | END OF MEDIUM (EM)  
1A | 00000092 | PRIVATE USE TWO (PU2)  
1B | 0000008F | SINGLE-SHIFT THREE (SS3)  
1C | 0000001C | FILE SEPARATOR (IS4)  
1D | 0000001D | GROUP SEPARATOR (IS3)  
1E | 0000001E | RECORD SEPARATOR (IS2)  
1F | 0000001F | UNIT SEPARATOR (IS1)  
20 | 00000080 | PADDING CHARACTER (PAD)  
21 | 00000081 | HIGH OCTET PRESET (HOP)  
22 | 00000082 | BREAK PERMITTED HERE (BPH)  
23 | 00000083 | NO BREAK HERE (NBH)  
24 | 00000084 | INDEX (IND)  
25 | 0000000A | LINE FEED (LF)  
26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)

27 | 000001B | ESCAPE (ESC)  
28 | 0000088 | CHARACTER TABULATION SET (HTS)  
29 | 0000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)  
2A | 000008A | LINE TABULATION SET (VTS)  
2B | 000008B | PARTIAL LINE FORWARD (PLD)  
2C | 000008C | PARTIAL LINE BACKWARD (PLU)  
2D | 0000005 | ENQUIRY (ENQ)  
2E | 0000006 | ACKNOWLEDGE (ACK)  
2F | 0000007 | BELL (BEL)  
30 | 0000090 | DEVICE CONTROL STRING (DCS)  
31 | 0000091 | PRIVATE USE ONE (PU1)  
32 | 0000016 | SYNCHRONOUS IDLE (SYN)  
33 | 0000093 | SET TRANSMIT STATE (STS)  
34 | 0000094 | CANCEL CHARACTER (CCH)  
35 | 0000095 | MESSAGE WAITING (MW)  
36 | 0000096 | START OF GUARDED AREA (SPA)  
37 | 0000004 | END OF TRANSMISSION (EOT)  
38 | 0000098 | START OF STRING (SOS)  
39 | 0000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)  
3A | 000009A | SINGLE CHARACTER INTRODUCER (SCI)  
3B | 000009B | CONTROL SEQUENCE INTRODUCER (CSI)  
3C | 0000014 | DEVICE CONTROL FOUR (DC4)  
3D | 0000015 | NEGATIVE ACKNOWLEDGE (NAK)  
3E | 000009E | PRIVACY MESSAGE (PM)  
3F | 000001A | SUBSTITUTE (SUB)  
40 | 0000020 | SPACE  
4A | 00000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS  
4B | 000002E | FULL STOP  
4C | 000003C | LESS-THAN SIGN  
4D | 0000028 | LEFT PARENTHESIS  
4E | 000002B | PLUS SIGN  
4F | 0000021 | EXCLAMATION MARK  
50 | 0000026 | AMPERSAND

5A | 000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS

5B | 00000024 | DOLLAR SIGN

5C | 0000002A | ASTERISK

5D | 00000029 | RIGHT PARENTHESIS

5E | 0000003B | SEMICOLON

5F | 0000005E | CIRCUMFLEX ACCENT

60 | 0000002D | HYPHEN-MINUS

61 | 0000002F | SOLIDUS

6A | 000000F6 | LATIN SMALL LETTER O WITH DIAERESIS

6B | 0000002C | COMMA

6C | 00000025 | PERCENT SIGN

6D | 0000005F | LOW LINE

6E | 0000003E | GREATER-THAN SIGN

6F | 0000003F | QUESTION MARK

79 | 00000060 | GRAVE ACCENT

7A | 0000003A | COLON

7B | 00000023 | NUMBER SIGN

7C | 000000A7 | SECTION SIGN

7D | 00000027 | APOSTROPHE

7E | 0000003D | EQUALS SIGN

7F | 00000022 | QUOTATION MARK

81 | 00000061 | LATIN SMALL LETTER A

82 | 00000062 | LATIN SMALL LETTER B

83 | 00000063 | LATIN SMALL LETTER C

84 | 00000064 | LATIN SMALL LETTER D

85 | 00000065 | LATIN SMALL LETTER E

86 | 00000066 | LATIN SMALL LETTER F

87 | 00000067 | LATIN SMALL LETTER G

88 | 00000068 | LATIN SMALL LETTER H

89 | 00000069 | LATIN SMALL LETTER I

91 | 0000006A | LATIN SMALL LETTER J

92 | 0000006B | LATIN SMALL LETTER K

93 | 0000006C | LATIN SMALL LETTER L

94 | 000006D | LATIN SMALL LETTER M  
95 | 000006E | LATIN SMALL LETTER N  
96 | 000006F | LATIN SMALL LETTER O  
97 | 0000070 | LATIN SMALL LETTER P  
98 | 0000071 | LATIN SMALL LETTER Q  
99 | 0000072 | LATIN SMALL LETTER R  
A1 | 00000DF | LATIN SMALL LETTER SHARP S (German)  
A2 | 0000073 | LATIN SMALL LETTER S  
A3 | 0000074 | LATIN SMALL LETTER T  
A4 | 0000075 | LATIN SMALL LETTER U  
A5 | 0000076 | LATIN SMALL LETTER V  
A6 | 0000077 | LATIN SMALL LETTER W  
A7 | 0000078 | LATIN SMALL LETTER X  
A8 | 0000079 | LATIN SMALL LETTER Y  
A9 | 000007A | LATIN SMALL LETTER Z  
C0 | 00000E4 | LATIN SMALL LETTER A WITH DIAERESIS  
C1 | 0000041 | LATIN CAPITAL LETTER A  
C2 | 0000042 | LATIN CAPITAL LETTER B  
C3 | 0000043 | LATIN CAPITAL LETTER C  
C4 | 0000044 | LATIN CAPITAL LETTER D  
C5 | 0000045 | LATIN CAPITAL LETTER E  
C6 | 0000046 | LATIN CAPITAL LETTER F  
C7 | 0000047 | LATIN CAPITAL LETTER G  
C8 | 0000048 | LATIN CAPITAL LETTER H  
C9 | 0000049 | LATIN CAPITAL LETTER I  
D0 | 00000FC | LATIN SMALL LETTER U WITH DIAERESIS  
D1 | 000004A | LATIN CAPITAL LETTER J  
D2 | 000004B | LATIN CAPITAL LETTER K  
D3 | 000004C | LATIN CAPITAL LETTER L  
D4 | 000004D | LATIN CAPITAL LETTER M  
D5 | 000004E | LATIN CAPITAL LETTER N  
D6 | 000004F | LATIN CAPITAL LETTER O  
D7 | 0000050 | LATIN CAPITAL LETTER P

D8 | 00000051 | LATIN CAPITAL LETTER Q  
D9 | 00000052 | LATIN CAPITAL LETTER R  
E0 | 000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS  
E2 | 00000053 | LATIN CAPITAL LETTER S  
E3 | 00000054 | LATIN CAPITAL LETTER T  
E4 | 00000055 | LATIN CAPITAL LETTER U  
E5 | 00000056 | LATIN CAPITAL LETTER V  
E6 | 00000057 | LATIN CAPITAL LETTER W  
E7 | 00000058 | LATIN CAPITAL LETTER X  
E8 | 00000059 | LATIN CAPITAL LETTER Y  
E9 | 0000005A | LATIN CAPITAL LETTER Z  
F0 | 00000030 | DIGIT ZERO  
F1 | 00000031 | DIGIT ONE  
F2 | 00000032 | DIGIT TWO  
F3 | 00000033 | DIGIT THREE  
F4 | 00000034 | DIGIT FOUR  
F5 | 00000035 | DIGIT FIVE  
F6 | 00000036 | DIGIT SIX  
F7 | 00000037 | DIGIT SEVEN  
F8 | 00000038 | DIGIT EIGHT  
F9 | 00000039 | DIGIT NINE  
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)

#### AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>  
(<mailto:guido.flohr@cantanea.com>), all rights reserved. See the source code for  
details!code for details!

#### SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)

perl v5.34.0

2022-02-06

Locale::RecodeData::EBCDIC\_AT\_DE(3pm)