



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command '*Locale::RecodeData::EBCDIC_AT_DE_A.3pm*'

\$ man Locale::RecodeData::EBCDIC_AT_DE_A.3pm

Locale::RecodeData::EBCDIC_AT_DE_A User3 Contributed Perl Docum Locale::RecodeData::EBCDIC_AT_DE_A(3pm)

NAME

Locale::RecodeData::EBCDIC_AT_DE_A - Conversion routines for EBCDIC_AT_DE_A

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for EBCDIC-AT-DE-A.

COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: IBM 3270 Char Set Ref Ch 10, GA27-2837-9, April 1987

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

-----+-----+-----

- 00 | 00000000 | NULL (NUL)
- 01 | 00000001 | START OF HEADING (SOH)
- 02 | 00000002 | START OF TEXT (STX)
- 03 | 00000003 | END OF TEXT (ETX)
- 04 | 0000009C | STRING TERMINATOR (ST)

05 | 00000009 | CHARACTER TABULATION (HT)
06 | 00000086 | START OF SELECTED AREA (SSA)
07 | 0000007F | DELETE (DEL)
08 | 00000097 | END OF GUARDED AREA (EPA)
09 | 0000008D | REVERSE LINE FEED (RI)
0A | 0000008E | SINGLE-SHIFT TWO (SS2)
0B | 0000000B | LINE TABULATION (VT)
0C | 0000000C | FORM FEED (FF)
0D | 0000000D | CARRIAGE RETURN (CR)
0E | 0000000E | SHIFT OUT (SO)
0F | 0000000F | SHIFT IN (SI)
10 | 00000010 | DATALINK ESCAPE (DLE)
11 | 00000011 | DEVICE CONTROL ONE (DC1)
12 | 00000012 | DEVICE CONTROL TWO (DC2)
13 | 00000013 | DEVICE CONTROL THREE (DC3)
14 | 0000009D | OPERATING SYSTEM COMMAND (OSC)
15 | 00000085 | NEXT LINE (NEL)
16 | 00000008 | BACKSPACE (BS)
17 | 00000087 | END OF SELECTED AREA (ESA)
18 | 00000018 | CANCEL (CAN)
19 | 00000019 | END OF MEDIUM (EM)
1A | 00000092 | PRIVATE USE TWO (PU2)
1B | 0000008F | SINGLE-SHIFT THREE (SS3)
1C | 0000001C | FILE SEPARATOR (IS4)
1D | 0000001D | GROUP SEPARATOR (IS3)
1E | 0000001E | RECORD SEPARATOR (IS2)
1F | 0000001F | UNIT SEPARATOR (IS1)
20 | 00000080 | PADDING CHARACTER (PAD)
21 | 00000081 | HIGH OCTET PRESET (HOP)
22 | 00000082 | BREAK PERMITTED HERE (BPH)
23 | 00000083 | NO BREAK HERE (NBH)
24 | 00000084 | INDEX (IND)
25 | 0000000A | LINE FEED (LF)

26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)
27 | 0000001B | ESCAPE (ESC)
28 | 00000088 | CHARACTER TABULATION SET (HTS)
29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
2A | 0000008A | LINE TABULATION SET (VTS)
2B | 0000008B | PARTIAL LINE FORWARD (PLD)
2C | 0000008C | PARTIAL LINE BACKWARD (PLU)
2D | 00000005 | ENQUIRY (ENQ)
2E | 00000006 | ACKNOWLEDGE (ACK)
2F | 00000007 | BELL (BEL)
30 | 00000090 | DEVICE CONTROL STRING (DCS)
31 | 00000091 | PRIVATE USE ONE (PU1)
32 | 00000016 | SYNCHRONOUS IDLE (SYN)
33 | 00000093 | SET TRANSMIT STATE (STS)
34 | 00000094 | CANCEL CHARACTER (CCH)
35 | 00000095 | MESSAGE WAITING (MW)
36 | 00000096 | START OF GUARDED AREA (SPA)
37 | 00000004 | END OF TRANSMISSION (EOT)
38 | 00000098 | START OF STRING (SOS)
39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
3C | 00000014 | DEVICE CONTROL FOUR (DC4)
3D | 00000015 | NEGATIVE ACKNOWLEDGE (NAK)
3E | 0000009E | PRIVACY MESSAGE (PM)
3F | 0000001A | SUBSTITUTE (SUB)
40 | 00000020 | SPACE
4A | 000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
4B | 0000002E | FULL STOP
4C | 0000003C | LESS-THAN SIGN
4D | 00000028 | LEFT PARENTHESIS
4E | 0000002B | PLUS SIGN
4F | 0000007C | VERTICAL LINE

50 | 00000026 | AMPERSAND
5A | 000000FC | LATIN SMALL LETTER U WITH DIAERESIS
5B | 000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS
5C | 0000002A | ASTERISK
5D | 00000029 | RIGHT PARENTHESIS
5E | 0000003B | SEMICOLON
5F | 000000AC | NOT SIGN
60 | 0000002D | HYPHEN-MINUS
61 | 0000002F | SOLIDUS
6A | 000000DF | LATIN SMALL LETTER SHARP S (German)
6B | 0000002C | COMMA
6C | 00000025 | PERCENT SIGN
6D | 0000005F | LOW LINE
6E | 0000003E | GREATER-THAN SIGN
6F | 0000003F | QUESTION MARK
7A | 0000003A | COLON
7B | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
7C | 000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
7D | 00000027 | APOSTROPHE
7E | 0000003D | EQUALS SIGN
7F | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
81 | 00000061 | LATIN SMALL LETTER A
82 | 00000062 | LATIN SMALL LETTER B
83 | 00000063 | LATIN SMALL LETTER C
84 | 00000064 | LATIN SMALL LETTER D
85 | 00000065 | LATIN SMALL LETTER E
86 | 00000066 | LATIN SMALL LETTER F
87 | 00000067 | LATIN SMALL LETTER G
88 | 00000068 | LATIN SMALL LETTER H
89 | 00000069 | LATIN SMALL LETTER I
91 | 0000006A | LATIN SMALL LETTER J
92 | 0000006B | LATIN SMALL LETTER K
93 | 0000006C | LATIN SMALL LETTER L

94 | 0000006D | LATIN SMALL LETTER M
95 | 0000006E | LATIN SMALL LETTER N
96 | 0000006F | LATIN SMALL LETTER O
97 | 00000070 | LATIN SMALL LETTER P
98 | 00000071 | LATIN SMALL LETTER Q
99 | 00000072 | LATIN SMALL LETTER R
A2 | 00000073 | LATIN SMALL LETTER S
A3 | 00000074 | LATIN SMALL LETTER T
A4 | 00000075 | LATIN SMALL LETTER U
A5 | 00000076 | LATIN SMALL LETTER V
A6 | 00000077 | LATIN SMALL LETTER W
A7 | 00000078 | LATIN SMALL LETTER X
A8 | 00000079 | LATIN SMALL LETTER Y
A9 | 0000007A | LATIN SMALL LETTER Z
C1 | 00000041 | LATIN CAPITAL LETTER A
C2 | 00000042 | LATIN CAPITAL LETTER B
C3 | 00000043 | LATIN CAPITAL LETTER C
C4 | 00000044 | LATIN CAPITAL LETTER D
C5 | 00000045 | LATIN CAPITAL LETTER E
C6 | 00000046 | LATIN CAPITAL LETTER F
C7 | 00000047 | LATIN CAPITAL LETTER G
C8 | 00000048 | LATIN CAPITAL LETTER H
C9 | 00000049 | LATIN CAPITAL LETTER I
D1 | 0000004A | LATIN CAPITAL LETTER J
D2 | 0000004B | LATIN CAPITAL LETTER K
D3 | 0000004C | LATIN CAPITAL LETTER L
D4 | 0000004D | LATIN CAPITAL LETTER M
D5 | 0000004E | LATIN CAPITAL LETTER N
D6 | 0000004F | LATIN CAPITAL LETTER O
D7 | 00000050 | LATIN CAPITAL LETTER P
D8 | 00000051 | LATIN CAPITAL LETTER Q
D9 | 00000052 | LATIN CAPITAL LETTER R
E2 | 00000053 | LATIN CAPITAL LETTER S

E3 | 00000054 | LATIN CAPITAL LETTER T
E4 | 00000055 | LATIN CAPITAL LETTER U
E5 | 00000056 | LATIN CAPITAL LETTER V
E6 | 00000057 | LATIN CAPITAL LETTER W
E7 | 00000058 | LATIN CAPITAL LETTER X
E8 | 00000059 | LATIN CAPITAL LETTER Y
E9 | 0000005A | LATIN CAPITAL LETTER Z
F0 | 00000030 | DIGIT ZERO
F1 | 00000031 | DIGIT ONE
F2 | 00000032 | DIGIT TWO
F3 | 00000033 | DIGIT THREE
F4 | 00000034 | DIGIT FOUR
F5 | 00000035 | DIGIT FIVE
F6 | 00000036 | DIGIT SIX
F7 | 00000037 | DIGIT SEVEN
F8 | 00000038 | DIGIT EIGHT
F9 | 00000039 | DIGIT NINE
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)

AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>

(<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!`code for details!`

SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)

perl v5.34.0

2022-02-06 Locale::RecodeData::EBCDIC_AT_DE_A(3pm)