



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Locale::RecodeData::EBCDIC\_PT.3pm'***

***\$ man Locale::RecodeData::EBCDIC\_PT.3pm***

Locale::RecodeData::EBCDIC\_PT(3User Contributed Perl DocumentatLocale::RecodeData::EBCDIC\_PT(3pm)

NAME

Locale::RecodeData::EBCDIC\_PT - Conversion routines for EBCDIC\_PT

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for EBCDIC-PT.

=head1 CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

-----+-----+-----

- 00 | 00000000 | NULL (NUL)
- 01 | 00000001 | START OF HEADING (SOH)
- 02 | 00000002 | START OF TEXT (STX)
- 03 | 00000003 | END OF TEXT (ETX)
- 04 | 0000009C | STRING TERMINATOR (ST)
- 05 | 00000009 | CHARACTER TABULATION (HT)

06 | 00000086 | START OF SELECTED AREA (SSA)  
07 | 0000007F | DELETE (DEL)  
08 | 00000097 | END OF GUARDED AREA (EPA)  
09 | 0000008D | REVERSE LINE FEED (RI)  
0A | 0000008E | SINGLE-SHIFT TWO (SS2)  
0B | 0000000B | LINE TABULATION (VT)  
0C | 0000000C | FORM FEED (FF)  
0D | 0000000D | CARRIAGE RETURN (CR)  
0E | 0000000E | SHIFT OUT (SO)  
0F | 0000000F | SHIFT IN (SI)  
10 | 00000010 | DATALINK ESCAPE (DLE)  
11 | 00000011 | DEVICE CONTROL ONE (DC1)  
12 | 00000012 | DEVICE CONTROL TWO (DC2)  
13 | 00000013 | DEVICE CONTROL THREE (DC3)  
14 | 0000009D | OPERATING SYSTEM COMMAND (OSC)  
15 | 00000085 | NEXT LINE (NEL)  
16 | 00000008 | BACKSPACE (BS)  
17 | 00000087 | END OF SELECTED AREA (ESA)  
18 | 00000018 | CANCEL (CAN)  
19 | 00000019 | END OF MEDIUM (EM)  
1A | 00000092 | PRIVATE USE TWO (PU2)  
1B | 0000008F | SINGLE-SHIFT THREE (SS3)  
1C | 0000001C | FILE SEPARATOR (IS4)  
1D | 0000001D | GROUP SEPARATOR (IS3)  
1E | 0000001E | RECORD SEPARATOR (IS2)  
1F | 0000001F | UNIT SEPARATOR (IS1)  
20 | 00000080 | PADDING CHARACTER (PAD)  
21 | 00000081 | HIGH OCTET PRESET (HOP)  
22 | 00000082 | BREAK PERMITTED HERE (BPH)  
23 | 00000083 | NO BREAK HERE (NBH)  
24 | 00000084 | INDEX (IND)  
25 | 0000000A | LINE FEED (LF)  
26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)

27 | 000001B | ESCAPE (ESC)  
28 | 0000088 | CHARACTER TABULATION SET (HTS)  
29 | 0000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)  
2A | 000008A | LINE TABULATION SET (VTS)  
2B | 000008B | PARTIAL LINE FORWARD (PLD)  
2C | 000008C | PARTIAL LINE BACKWARD (PLU)  
2D | 0000005 | ENQUIRY (ENQ)  
2E | 0000006 | ACKNOWLEDGE (ACK)  
2F | 0000007 | BELL (BEL)  
30 | 0000090 | DEVICE CONTROL STRING (DCS)  
31 | 0000091 | PRIVATE USE ONE (PU1)  
32 | 0000016 | SYNCHRONOUS IDLE (SYN)  
33 | 0000093 | SET TRANSMIT STATE (STS)  
34 | 0000094 | CANCEL CHARACTER (CCH)  
35 | 0000095 | MESSAGE WAITING (MW)  
36 | 0000096 | START OF GUARDED AREA (SPA)  
37 | 0000004 | END OF TRANSMISSION (EOT)  
38 | 0000098 | START OF STRING (SOS)  
39 | 0000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)  
3A | 000009A | SINGLE CHARACTER INTRODUCER (SCI)  
3B | 000009B | CONTROL SEQUENCE INTRODUCER (CSI)  
3C | 0000014 | DEVICE CONTROL FOUR (DC4)  
3D | 0000015 | NEGATIVE ACKNOWLEDGE (NAK)  
3E | 000009E | PRIVACY MESSAGE (PM)  
3F | 000001A | SUBSTITUTE (SUB)  
40 | 0000020 | SPACE  
4A | 000005B | LEFT SQUARE BRACKET  
4B | 000002E | FULL STOP  
4C | 000003C | LESS-THAN SIGN  
4D | 0000028 | LEFT PARENTHESIS  
4E | 000002B | PLUS SIGN  
4F | 0000021 | EXCLAMATION MARK  
50 | 0000026 | AMPERSAND

5A | 0000005D | RIGHT SQUARE BRACKET  
5B | 00000024 | DOLLAR SIGN  
5C | 0000002A | ASTERISK  
5D | 00000029 | RIGHT PARENTHESIS  
5E | 0000003B | SEMICOLON  
5F | 0000005E | CIRCUMFLEX ACCENT  
60 | 0000002D | HYPHEN-MINUS  
61 | 0000002F | SOLIDUS  
6A | 000000F5 | LATIN SMALL LETTER O WITH TILDE  
6B | 0000002C | COMMA  
6C | 00000025 | PERCENT SIGN  
6D | 0000005F | LOW LINE  
6E | 0000003E | GREATER-THAN SIGN  
6F | 0000003F | QUESTION MARK  
79 | 00000060 | GRAVE ACCENT  
7A | 0000003A | COLON  
7B | 000000C3 | LATIN CAPITAL LETTER A WITH TILDE  
7C | 000000D5 | LATIN CAPITAL LETTER O WITH TILDE  
7D | 00000027 | APOSTROPHE  
7E | 0000003D | EQUALS SIGN  
7F | 00000022 | QUOTATION MARK  
81 | 00000061 | LATIN SMALL LETTER A  
82 | 00000062 | LATIN SMALL LETTER B  
83 | 00000063 | LATIN SMALL LETTER C  
84 | 00000064 | LATIN SMALL LETTER D  
85 | 00000065 | LATIN SMALL LETTER E  
86 | 00000066 | LATIN SMALL LETTER F  
87 | 00000067 | LATIN SMALL LETTER G  
88 | 00000068 | LATIN SMALL LETTER H  
89 | 00000069 | LATIN SMALL LETTER I  
91 | 0000006A | LATIN SMALL LETTER J  
92 | 0000006B | LATIN SMALL LETTER K  
93 | 0000006C | LATIN SMALL LETTER L

94 | 0000006D | LATIN SMALL LETTER M  
95 | 0000006E | LATIN SMALL LETTER N  
96 | 0000006F | LATIN SMALL LETTER O  
97 | 00000070 | LATIN SMALL LETTER P  
98 | 00000071 | LATIN SMALL LETTER Q  
99 | 00000072 | LATIN SMALL LETTER R  
A1 | 000000E7 | LATIN SMALL LETTER C WITH CEDILLA  
A2 | 00000073 | LATIN SMALL LETTER S  
A3 | 00000074 | LATIN SMALL LETTER T  
A4 | 00000075 | LATIN SMALL LETTER U  
A5 | 00000076 | LATIN SMALL LETTER V  
A6 | 00000077 | LATIN SMALL LETTER W  
A7 | 00000078 | LATIN SMALL LETTER X  
A8 | 00000079 | LATIN SMALL LETTER Y  
A9 | 0000007A | LATIN SMALL LETTER Z  
C0 | 000000E3 | LATIN SMALL LETTER A WITH TILDE  
C1 | 00000041 | LATIN CAPITAL LETTER A  
C2 | 00000042 | LATIN CAPITAL LETTER B  
C3 | 00000043 | LATIN CAPITAL LETTER C  
C4 | 00000044 | LATIN CAPITAL LETTER D  
C5 | 00000045 | LATIN CAPITAL LETTER E  
C6 | 00000046 | LATIN CAPITAL LETTER F  
C7 | 00000047 | LATIN CAPITAL LETTER G  
C8 | 00000048 | LATIN CAPITAL LETTER H  
C9 | 00000049 | LATIN CAPITAL LETTER I  
D0 | 000000B4 | ACUTE ACCENT  
D1 | 0000004A | LATIN CAPITAL LETTER J  
D2 | 0000004B | LATIN CAPITAL LETTER K  
D3 | 0000004C | LATIN CAPITAL LETTER L  
D4 | 0000004D | LATIN CAPITAL LETTER M  
D5 | 0000004E | LATIN CAPITAL LETTER N  
D6 | 0000004F | LATIN CAPITAL LETTER O  
D7 | 00000050 | LATIN CAPITAL LETTER P

D8 | 00000051 | LATIN CAPITAL LETTER Q  
D9 | 00000052 | LATIN CAPITAL LETTER R  
E0 | 000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA  
E2 | 00000053 | LATIN CAPITAL LETTER S  
E3 | 00000054 | LATIN CAPITAL LETTER T  
E4 | 00000055 | LATIN CAPITAL LETTER U  
E5 | 00000056 | LATIN CAPITAL LETTER V  
E6 | 00000057 | LATIN CAPITAL LETTER W  
E7 | 00000058 | LATIN CAPITAL LETTER X  
E8 | 00000059 | LATIN CAPITAL LETTER Y  
E9 | 0000005A | LATIN CAPITAL LETTER Z  
F0 | 00000030 | DIGIT ZERO  
F1 | 00000031 | DIGIT ONE  
F2 | 00000032 | DIGIT TWO  
F3 | 00000033 | DIGIT THREE  
F4 | 00000034 | DIGIT FOUR  
F5 | 00000035 | DIGIT FIVE  
F6 | 00000036 | DIGIT SIX  
F7 | 00000037 | DIGIT SEVEN  
F8 | 00000038 | DIGIT EIGHT  
F9 | 00000039 | DIGIT NINE  
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)

## AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>

(<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!`code for details!`

## SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)