



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Locale::RecodeData::IBM274.3pm'***

***\$ man Locale::RecodeData::IBM274.3pm***

Locale::RecodeData::IBM274(3pm)User Contributed Perl DocumentationLocale::RecodeData::IBM274(3pm)

#### NAME

Locale::RecodeData::IBM274 - Conversion routines for IBM274

#### SYNOPSIS

This module is internal to libintl. Do not use directly!

#### DESCRIPTION

This module is generated and contains the conversion tables and routines for IBM274.

#### COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: IBM 3174 Character Set Ref, GA27-3831-02, March 1990

alias EBCDIC-BE

alias CP274

Please note that aliases listed above are not necessarily valid!

#### CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character

codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

-----+-----+-----		
Local	ISO-10646	Description
00	00000000	NULL (NUL)
01	00000001	START OF HEADING (SOH)
02	00000002	START OF TEXT (STX)
03	00000003	END OF TEXT (ETX)
04	0000009C	STRING TERMINATOR (ST)
05	00000009	CHARACTER TABULATION (HT)
06	00000086	START OF SELECTED AREA (SSA)
07	0000007F	DELETE (DEL)
08	00000097	END OF GUARDED AREA (EPA)
09	0000008D	REVERSE LINE FEED (RI)
0A	0000008E	SINGLE-SHIFT TWO (SS2)
0B	0000000B	LINE TABULATION (VT)
0C	0000000C	FORM FEED (FF)
0D	0000000D	CARRIAGE RETURN (CR)
0E	0000000E	SHIFT OUT (SO)
0F	0000000F	SHIFT IN (SI)
10	00000010	DATALINK ESCAPE (DLE)
11	00000011	DEVICE CONTROL ONE (DC1)
12	00000012	DEVICE CONTROL TWO (DC2)
13	00000013	DEVICE CONTROL THREE (DC3)
14	0000009D	OPERATING SYSTEM COMMAND (OSC)
15	00000085	NEXT LINE (NEL)
16	00000008	BACKSPACE (BS)
17	00000087	END OF SELECTED AREA (ESA)
18	00000018	CANCEL (CAN)
19	00000019	END OF MEDIUM (EM)
1A	00000092	PRIVATE USE TWO (PU2)
1B	0000008F	SINGLE-SHIFT THREE (SS3)
1C	0000001C	FILE SEPARATOR (IS4)

1D | 0000001D | GROUP SEPARATOR (IS3)  
1E | 0000001E | RECORD SEPARATOR (IS2)  
1F | 0000001F | UNIT SEPARATOR (IS1)  
20 | 00000080 | PADDING CHARACTER (PAD)  
21 | 00000081 | HIGH OCTET PRESET (HOP)  
22 | 00000082 | BREAK PERMITTED HERE (BPH)  
23 | 00000083 | NO BREAK HERE (NBH)  
24 | 00000084 | INDEX (IND)  
25 | 0000000A | LINE FEED (LF)  
26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)  
27 | 0000001B | ESCAPE (ESC)  
28 | 00000088 | CHARACTER TABULATION SET (HTS)  
29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)  
2A | 0000008A | LINE TABULATION SET (VTS)  
2B | 0000008B | PARTIAL LINE FORWARD (PLD)  
2C | 0000008C | PARTIAL LINE BACKWARD (PLU)  
2D | 00000005 | ENQUIRY (ENQ)  
2E | 00000006 | ACKNOWLEDGE (ACK)  
2F | 00000007 | BELL (BEL)  
30 | 00000090 | DEVICE CONTROL STRING (DCS)  
31 | 00000091 | PRIVATE USE ONE (PU1)  
32 | 00000016 | SYNCHRONOUS IDLE (SYN)  
33 | 00000093 | SET TRANSMIT STATE (STS)  
34 | 00000094 | CANCEL CHARACTER (CCH)  
35 | 00000095 | MESSAGE WAITING (MW)  
36 | 00000096 | START OF GUARDED AREA (SPA)  
37 | 00000004 | END OF TRANSMISSION (EOT)  
38 | 00000098 | START OF STRING (SOS)  
39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)  
3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)  
3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)  
3C | 00000014 | DEVICE CONTROL FOUR (DC4)  
3D | 00000015 | NEGATIVE ACKNOWLEDGE (NAK)

3E | 0000009E | PRIVACY MESSAGE (PM)  
3F | 0000001A | SUBSTITUTE (SUB)  
40 | 00000020 | SPACE  
4A | 0000005B | LEFT SQUARE BRACKET  
4B | 0000002E | FULL STOP  
4C | 0000003C | LESS-THAN SIGN  
4D | 00000028 | LEFT PARENTHESIS  
4E | 0000002B | PLUS SIGN  
4F | 00000021 | EXCLAMATION MARK  
50 | 00000026 | AMPERSAND  
5A | 0000005D | RIGHT SQUARE BRACKET  
5B | 00000024 | DOLLAR SIGN  
5C | 0000002A | ASTERISK  
5D | 00000029 | RIGHT PARENTHESIS  
5E | 0000003B | SEMICOLON  
5F | 0000005E | CIRCUMFLEX ACCENT  
60 | 0000002D | HYPHEN-MINUS  
61 | 0000002F | SOLIDUS  
6A | 000000F9 | LATIN SMALL LETTER U WITH GRAVE  
6B | 0000002C | COMMA  
6C | 00000025 | PERCENT SIGN  
6D | 0000005F | LOW LINE  
6E | 0000003E | GREATER-THAN SIGN  
6F | 0000003F | QUESTION MARK  
79 | 00000060 | GRAVE ACCENT  
7A | 0000003A | COLON  
7B | 00000023 | NUMBER SIGN  
7C | 000000E0 | LATIN SMALL LETTER A WITH GRAVE  
7D | 00000027 | APOSTROPHE  
7E | 0000003D | EQUALS SIGN  
7F | 00000022 | QUOTATION MARK  
81 | 00000061 | LATIN SMALL LETTER A  
82 | 00000062 | LATIN SMALL LETTER B

83 | 00000063 | LATIN SMALL LETTER C  
84 | 00000064 | LATIN SMALL LETTER D  
85 | 00000065 | LATIN SMALL LETTER E  
86 | 00000066 | LATIN SMALL LETTER F  
87 | 00000067 | LATIN SMALL LETTER G  
88 | 00000068 | LATIN SMALL LETTER H  
89 | 00000069 | LATIN SMALL LETTER I  
91 | 0000006A | LATIN SMALL LETTER J  
92 | 0000006B | LATIN SMALL LETTER K  
93 | 0000006C | LATIN SMALL LETTER L  
94 | 0000006D | LATIN SMALL LETTER M  
95 | 0000006E | LATIN SMALL LETTER N  
96 | 0000006F | LATIN SMALL LETTER O  
97 | 00000070 | LATIN SMALL LETTER P  
98 | 00000071 | LATIN SMALL LETTER Q  
99 | 00000072 | LATIN SMALL LETTER R  
A1 | 000000A8 | DIAERESIS  
A2 | 00000073 | LATIN SMALL LETTER S  
A3 | 00000074 | LATIN SMALL LETTER T  
A4 | 00000075 | LATIN SMALL LETTER U  
A5 | 00000076 | LATIN SMALL LETTER V  
A6 | 00000077 | LATIN SMALL LETTER W  
A7 | 00000078 | LATIN SMALL LETTER X  
A8 | 00000079 | LATIN SMALL LETTER Y  
A9 | 0000007A | LATIN SMALL LETTER Z  
C0 | 000000E9 | LATIN SMALL LETTER E WITH ACUTE  
C1 | 00000041 | LATIN CAPITAL LETTER A  
C2 | 00000042 | LATIN CAPITAL LETTER B  
C3 | 00000043 | LATIN CAPITAL LETTER C  
C4 | 00000044 | LATIN CAPITAL LETTER D  
C5 | 00000045 | LATIN CAPITAL LETTER E  
C6 | 00000046 | LATIN CAPITAL LETTER F  
C7 | 00000047 | LATIN CAPITAL LETTER G

C8 | 00000048 | LATIN CAPITAL LETTER H  
C9 | 00000049 | LATIN CAPITAL LETTER I  
D0 | 000000E8 | LATIN SMALL LETTER E WITH GRAVE  
D1 | 0000004A | LATIN CAPITAL LETTER J  
D2 | 0000004B | LATIN CAPITAL LETTER K  
D3 | 0000004C | LATIN CAPITAL LETTER L  
D4 | 0000004D | LATIN CAPITAL LETTER M  
D5 | 0000004E | LATIN CAPITAL LETTER N  
D6 | 0000004F | LATIN CAPITAL LETTER O  
D7 | 00000050 | LATIN CAPITAL LETTER P  
D8 | 00000051 | LATIN CAPITAL LETTER Q  
D9 | 00000052 | LATIN CAPITAL LETTER R  
E0 | 000000E7 | LATIN SMALL LETTER C WITH CEDILLA  
E2 | 00000053 | LATIN CAPITAL LETTER S  
E3 | 00000054 | LATIN CAPITAL LETTER T  
E4 | 00000055 | LATIN CAPITAL LETTER U  
E5 | 00000056 | LATIN CAPITAL LETTER V  
E6 | 00000057 | LATIN CAPITAL LETTER W  
E7 | 00000058 | LATIN CAPITAL LETTER X  
E8 | 00000059 | LATIN CAPITAL LETTER Y  
E9 | 0000005A | LATIN CAPITAL LETTER Z  
F0 | 00000030 | DIGIT ZERO  
F1 | 00000031 | DIGIT ONE  
F2 | 00000032 | DIGIT TWO  
F3 | 00000033 | DIGIT THREE  
F4 | 00000034 | DIGIT FOUR  
F5 | 00000035 | DIGIT FIVE  
F6 | 00000036 | DIGIT SIX  
F7 | 00000037 | DIGIT SEVEN  
F8 | 00000038 | DIGIT EIGHT  
F9 | 00000039 | DIGIT NINE  
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)

## AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>

(<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!`code for details!`

## SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)

perl v5.34.0

2022-02-06

Locale::RecodeData::IBM274(3pm)