



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Locale::RecodeData::IBM905.3pm'***

***\$ man Locale::RecodeData::IBM905.3pm***

Locale::RecodeData::IBM905(3pm) User Contributed Perl Documentation Locale::RecodeData::IBM905(3pm)

NAME

Locale::RecodeData::IBM905 - Conversion routines for IBM905

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for IBM905.

COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: IBM 3174 Character Set Ref, GA27-3831-02, March 1990

alias CP905

alias EBCDIC-CP-TR

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

-----+-----+-----

00 | 00000000 | NULL (NUL)

01 | 00000001 | START OF HEADING (SOH)

02 | 00000002 | START OF TEXT (STX)

03 | 00000003 | END OF TEXT (ETX)

04 | 0000009C | STRING TERMINATOR (ST)  
05 | 00000009 | CHARACTER TABULATION (HT)  
06 | 00000086 | START OF SELECTED AREA (SSA)  
07 | 0000007F | DELETE (DEL)  
08 | 00000097 | END OF GUARDED AREA (EPA)  
09 | 0000008D | REVERSE LINE FEED (RI)  
0A | 0000008E | SINGLE-SHIFT TWO (SS2)  
0B | 0000000B | LINE TABULATION (VT)  
0C | 0000000C | FORM FEED (FF)  
0D | 0000000D | CARRIAGE RETURN (CR)  
0E | 0000000E | SHIFT OUT (SO)  
0F | 0000000F | SHIFT IN (SI)  
10 | 00000010 | DATALINK ESCAPE (DLE)  
11 | 00000011 | DEVICE CONTROL ONE (DC1)  
12 | 00000012 | DEVICE CONTROL TWO (DC2)  
13 | 00000013 | DEVICE CONTROL THREE (DC3)  
14 | 0000009D | OPERATING SYSTEM COMMAND (OSC)  
15 | 00000085 | NEXT LINE (NEL)  
16 | 00000008 | BACKSPACE (BS)  
17 | 00000087 | END OF SELECTED AREA (ESA)  
18 | 00000018 | CANCEL (CAN)  
19 | 00000019 | END OF MEDIUM (EM)  
1A | 00000092 | PRIVATE USE TWO (PU2)  
1B | 0000008F | SINGLE-SHIFT THREE (SS3)  
1C | 0000001C | FILE SEPARATOR (IS4)  
1D | 0000001D | GROUP SEPARATOR (IS3)  
1E | 0000001E | RECORD SEPARATOR (IS2)  
1F | 0000001F | UNIT SEPARATOR (IS1)  
20 | 00000080 | PADDING CHARACTER (PAD)  
21 | 00000081 | HIGH OCTET PRESET (HOP)  
22 | 00000082 | BREAK PERMITTED HERE (BPH)  
23 | 00000083 | NO BREAK HERE (NBH)  
24 | 00000084 | INDEX (IND)

25 | 0000000A | LINE FEED (LF)  
26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)  
27 | 0000001B | ESCAPE (ESC)  
28 | 00000088 | CHARACTER TABULATION SET (HTS)  
29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)  
2A | 0000008A | LINE TABULATION SET (VTS)  
2B | 0000008B | PARTIAL LINE FORWARD (PLD)  
2C | 0000008C | PARTIAL LINE BACKWARD (PLU)  
2D | 00000005 | ENQUIRY (ENQ)  
2E | 00000006 | ACKNOWLEDGE (ACK)  
2F | 00000007 | BELL (BEL)  
30 | 00000090 | DEVICE CONTROL STRING (DCS)  
31 | 00000091 | PRIVATE USE ONE (PU1)  
32 | 00000016 | SYNCHRONOUS IDLE (SYN)  
33 | 00000093 | SET TRANSMIT STATE (STS)  
34 | 00000094 | CANCEL CHARACTER (CCH)  
35 | 00000095 | MESSAGE WAITING (MW)  
36 | 00000096 | START OF GUARDED AREA (SPA)  
37 | 00000004 | END OF TRANSMISSION (EOT)  
38 | 00000098 | START OF STRING (SOS)  
39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)  
3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)  
3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)  
3C | 00000014 | DEVICE CONTROL FOUR (DC4)  
3D | 00000015 | NEGATIVE ACKNOWLEDGE (NAK)  
3E | 0000009E | PRIVACY MESSAGE (PM)  
3F | 0000001A | SUBSTITUTE (SUB)  
40 | 00000020 | SPACE  
42 | 000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX  
43 | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS  
44 | 000000E0 | LATIN SMALL LETTER A WITH GRAVE  
45 | 000000E1 | LATIN SMALL LETTER A WITH ACUTE  
47 | 0000010B | LATIN SMALL LETTER C WITH DOT ABOVE

48 | 000007B | LEFT CURLY BRACKET  
49 | 00000F1 | LATIN SMALL LETTER N WITH TILDE  
4A | 00000C7 | LATIN CAPITAL LETTER C WITH CEDILLA  
4B | 000002E | FULL STOP  
4C | 000003C | LESS-THAN SIGN  
4D | 0000028 | LEFT PARENTHESIS  
4E | 000002B | PLUS SIGN  
4F | 0000021 | EXCLAMATION MARK  
50 | 0000026 | AMPERSAND  
51 | 00000E9 | LATIN SMALL LETTER E WITH ACUTE  
52 | 00000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX  
53 | 00000EB | LATIN SMALL LETTER E WITH DIAERESIS  
54 | 00000E8 | LATIN SMALL LETTER E WITH GRAVE  
55 | 00000ED | LATIN SMALL LETTER I WITH ACUTE  
56 | 00000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX  
57 | 00000EF | LATIN SMALL LETTER I WITH DIAERESIS  
58 | 00000EC | LATIN SMALL LETTER I WITH GRAVE  
59 | 00000DF | LATIN SMALL LETTER SHARP S (German)  
5A | 000011E | LATIN CAPITAL LETTER G WITH BREVE  
5B | 0000130 | LATIN CAPITAL LETTER I WITH DOT ABOVE  
5C | 000002A | ASTERISK  
5D | 0000029 | RIGHT PARENTHESIS  
5E | 000003B | SEMICOLON  
5F | 000005E | CIRCUMFLEX ACCENT  
60 | 000002D | HYPHEN-MINUS  
61 | 000002F | SOLIDUS  
62 | 00000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX  
63 | 00000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS  
64 | 00000C0 | LATIN CAPITAL LETTER A WITH GRAVE  
65 | 00000C1 | LATIN CAPITAL LETTER A WITH ACUTE  
67 | 000010A | LATIN CAPITAL LETTER C WITH DOT ABOVE  
68 | 000005B | LEFT SQUARE BRACKET  
69 | 00000D1 | LATIN CAPITAL LETTER N WITH TILDE

6A | 0000015F | LATIN SMALL LETTER S WITH CEDILLA  
6B | 0000002C | COMMA  
6C | 00000025 | PERCENT SIGN  
6D | 0000005F | LOW LINE  
6E | 0000003E | GREATER-THAN SIGN  
6F | 0000003F | QUESTION MARK  
71 | 000000C9 | LATIN CAPITAL LETTER E WITH ACUTE  
72 | 000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX  
73 | 000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS  
74 | 000000C8 | LATIN CAPITAL LETTER E WITH GRAVE  
75 | 000000CD | LATIN CAPITAL LETTER I WITH ACUTE  
76 | 000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX  
77 | 000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS  
78 | 000000CC | LATIN CAPITAL LETTER I WITH GRAVE  
79 | 00000131 | LATIN SMALL LETTER DOTLESS I  
7A | 0000003A | COLON  
7B | 000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS  
7C | 0000015E | LATIN CAPITAL LETTER S WITH CEDILLA  
7D | 00000027 | APOSTROPHE  
7E | 0000003D | EQUALS SIGN  
7F | 000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS  
80 | 000002D8 | BREVE  
81 | 00000061 | LATIN SMALL LETTER A  
82 | 00000062 | LATIN SMALL LETTER B  
83 | 00000063 | LATIN SMALL LETTER C  
84 | 00000064 | LATIN SMALL LETTER D  
85 | 00000065 | LATIN SMALL LETTER E  
86 | 00000066 | LATIN SMALL LETTER F  
87 | 00000067 | LATIN SMALL LETTER G  
88 | 00000068 | LATIN SMALL LETTER H  
89 | 00000069 | LATIN SMALL LETTER I  
8A | 00000127 | LATIN SMALL LETTER H WITH STROKE  
8B | 00000109 | LATIN SMALL LETTER C WITH CIRCUMFLEX

8C | 0000015D | LATIN SMALL LETTER S WITH CIRCUMFLEX  
8D | 0000016D | LATIN SMALL LETTER U WITH BREVE  
8F | 0000007C | VERTICAL LINE  
90 | 000000B0 | DEGREE SIGN  
91 | 0000006A | LATIN SMALL LETTER J  
92 | 0000006B | LATIN SMALL LETTER K  
93 | 0000006C | LATIN SMALL LETTER L  
94 | 0000006D | LATIN SMALL LETTER M  
95 | 0000006E | LATIN SMALL LETTER N  
96 | 0000006F | LATIN SMALL LETTER O  
97 | 00000070 | LATIN SMALL LETTER P  
98 | 00000071 | LATIN SMALL LETTER Q  
99 | 00000072 | LATIN SMALL LETTER R  
9A | 00000125 | LATIN SMALL LETTER H WITH CIRCUMFLEX  
9B | 0000011D | LATIN SMALL LETTER G WITH CIRCUMFLEX  
9C | 00000135 | LATIN SMALL LETTER J WITH CIRCUMFLEX  
9D | 000002DB | OGONEK  
9F | 000000A4 | CURRENCY SIGN  
A0 | 000000B5 | MICRO SIGN  
A1 | 000000F6 | LATIN SMALL LETTER O WITH DIAERESIS  
A2 | 00000073 | LATIN SMALL LETTER S  
A3 | 00000074 | LATIN SMALL LETTER T  
A4 | 00000075 | LATIN SMALL LETTER U  
A5 | 00000076 | LATIN SMALL LETTER V  
A6 | 00000077 | LATIN SMALL LETTER W  
A7 | 00000078 | LATIN SMALL LETTER X  
A8 | 00000079 | LATIN SMALL LETTER Y  
A9 | 0000007A | LATIN SMALL LETTER Z  
AA | 00000126 | LATIN CAPITAL LETTER H WITH STROKE  
AB | 00000108 | LATIN CAPITAL LETTER C WITH CIRCUMFLEX  
AC | 0000015C | LATIN CAPITAL LETTER S WITH CIRCUMFLEX  
AD | 0000016C | LATIN CAPITAL LETTER U WITH BREVE  
AF | 00000040 | COMMERCIAL AT

B0 | 000000B7 | MIDDLE DOT  
B1 | 000000A3 | POUND SIGN  
B2 | 0000017C | LATIN SMALL LETTER Z WITH DOT ABOVE  
B3 | 0000007D | RIGHT CURLY BRACKET  
B4 | 0000017B | LATIN CAPITAL LETTER Z WITH DOT ABOVE  
B5 | 000000A7 | SECTION SIGN  
B6 | 0000005D | RIGHT SQUARE BRACKET  
B8 | 000000BD | VULGAR FRACTION ONE HALF  
B9 | 00000024 | DOLLAR SIGN  
BA | 00000124 | LATIN CAPITAL LETTER H WITH CIRCUMFLEX  
BB | 0000011C | LATIN CAPITAL LETTER G WITH CIRCUMFLEX  
BC | 00000134 | LATIN CAPITAL LETTER J WITH CIRCUMFLEX  
BD | 000000A8 | DIAERESIS  
BE | 000000B4 | ACUTE ACCENT  
BF | 000000D7 | MULTIPLICATION SIGN  
C0 | 000000E7 | LATIN SMALL LETTER C WITH CEDILLA  
C1 | 00000041 | LATIN CAPITAL LETTER A  
C2 | 00000042 | LATIN CAPITAL LETTER B  
C3 | 00000043 | LATIN CAPITAL LETTER C  
C4 | 00000044 | LATIN CAPITAL LETTER D  
C5 | 00000045 | LATIN CAPITAL LETTER E  
C6 | 00000046 | LATIN CAPITAL LETTER F  
C7 | 00000047 | LATIN CAPITAL LETTER G  
C8 | 00000048 | LATIN CAPITAL LETTER H  
C9 | 00000049 | LATIN CAPITAL LETTER I  
CA | 000000AD | SOFT HYPHEN  
CB | 000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX  
CC | 0000007E | TILDE  
CD | 000000F2 | LATIN SMALL LETTER O WITH GRAVE  
CE | 000000F3 | LATIN SMALL LETTER O WITH ACUTE  
CF | 00000121 | LATIN SMALL LETTER G WITH DOT ABOVE  
D0 | 0000011F | LATIN SMALL LETTER G WITH BREVE  
D1 | 0000004A | LATIN CAPITAL LETTER J

D2 | 0000004B | LATIN CAPITAL LETTER K  
D3 | 0000004C | LATIN CAPITAL LETTER L  
D4 | 0000004D | LATIN CAPITAL LETTER M  
D5 | 0000004E | LATIN CAPITAL LETTER N  
D6 | 0000004F | LATIN CAPITAL LETTER O  
D7 | 00000050 | LATIN CAPITAL LETTER P  
D8 | 00000051 | LATIN CAPITAL LETTER Q  
D9 | 00000052 | LATIN CAPITAL LETTER R  
DA | 00000060 | GRAVE ACCENT  
DB | 000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX  
DC | 0000005C | REVERSE SOLIDUS  
DD | 000000F9 | LATIN SMALL LETTER U WITH GRAVE  
DE | 000000FA | LATIN SMALL LETTER U WITH ACUTE  
E0 | 000000FC | LATIN SMALL LETTER U WITH DIAERESIS  
E1 | 000000F7 | DIVISION SIGN  
E2 | 00000053 | LATIN CAPITAL LETTER S  
E3 | 00000054 | LATIN CAPITAL LETTER T  
E4 | 00000055 | LATIN CAPITAL LETTER U  
E5 | 00000056 | LATIN CAPITAL LETTER V  
E6 | 00000057 | LATIN CAPITAL LETTER W  
E7 | 00000058 | LATIN CAPITAL LETTER X  
E8 | 00000059 | LATIN CAPITAL LETTER Y  
E9 | 0000005A | LATIN CAPITAL LETTER Z  
EA | 000000B2 | SUPERSCRIP TWO  
EB | 000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX  
EC | 00000023 | NUMBER SIGN  
ED | 000000D2 | LATIN CAPITAL LETTER O WITH GRAVE  
EE | 000000D3 | LATIN CAPITAL LETTER O WITH ACUTE  
EF | 00000120 | LATIN CAPITAL LETTER G WITH DOT ABOVE  
F0 | 00000030 | DIGIT ZERO  
F1 | 00000031 | DIGIT ONE  
F2 | 00000032 | DIGIT TWO  
F3 | 00000033 | DIGIT THREE

F4 | 00000034 | DIGIT FOUR  
F5 | 00000035 | DIGIT FIVE  
F6 | 00000036 | DIGIT SIX  
F7 | 00000037 | DIGIT SEVEN  
F8 | 00000038 | DIGIT EIGHT  
F9 | 00000039 | DIGIT NINE  
FA | 000000B3 | SUPERScript THREE  
FB | 000000DB | LATIN CAPITAL LETTER U WITH CIRCUMFLEX  
FC | 00000022 | QUOTATION MARK  
FD | 000000D9 | LATIN CAPITAL LETTER U WITH GRAVE  
FE | 000000DA | LATIN CAPITAL LETTER U WITH ACUTE  
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)

#### AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>

(<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!code for details!

#### SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)

perl v5.34.0

2022-02-06

Locale::RecodeData::IBM905(3pm)