



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Locale::RecodeData::ISO_8859_8.3pm'

\$ man Locale::RecodeData::ISO_8859_8.3pm

Locale::RecodeData::ISO_8859_8(User Contributed Perl DocumentaLocale::RecodeData::ISO_8859_8(3pm)

NAME

Locale::RecodeData::ISO_8859_8 - Conversion routines for ISO-8859-8

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for ISO-8859-8.

COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: ECMA registry

alias ISO-IR-138

alias ISO_8859-8:1988

alias ISO_8859-8

alias HEBREW

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local | ISO-10646 | Description

```
-----+-----+-----  
00 | 00000000 | NULL (NUL)  
01 | 00000001 | START OF HEADING (SOH)  
02 | 00000002 | START OF TEXT (STX)  
03 | 00000003 | END OF TEXT (ETX)  
04 | 00000004 | END OF TRANSMISSION (EOT)  
05 | 00000005 | ENQUIRY (ENQ)  
06 | 00000006 | ACKNOWLEDGE (ACK)  
07 | 00000007 | BELL (BEL)  
08 | 00000008 | BACKSPACE (BS)  
09 | 00000009 | CHARACTER TABULATION (HT)  
0A | 0000000A | LINE FEED (LF)  
0B | 0000000B | LINE TABULATION (VT)  
0C | 0000000C | FORM FEED (FF)  
0D | 0000000D | CARRIAGE RETURN (CR)  
0E | 0000000E | SHIFT OUT (SO)  
0F | 0000000F | SHIFT IN (SI)  
10 | 00000010 | DATALINK ESCAPE (DLE)  
11 | 00000011 | DEVICE CONTROL ONE (DC1)  
12 | 00000012 | DEVICE CONTROL TWO (DC2)  
13 | 00000013 | DEVICE CONTROL THREE (DC3)  
14 | 00000014 | DEVICE CONTROL FOUR (DC4)  
15 | 00000015 | NEGATIVE ACKNOWLEDGE (NAK)  
16 | 00000016 | SYNCHRONOUS IDLE (SYN)  
17 | 00000017 | END OF TRANSMISSION BLOCK (ETB)  
18 | 00000018 | CANCEL (CAN)  
19 | 00000019 | END OF MEDIUM (EM)  
1A | 0000001A | SUBSTITUTE (SUB)
```

1B | 0000001B | ESCAPE (ESC)
1C | 0000001C | FILE SEPARATOR (IS4)
1D | 0000001D | GROUP SEPARATOR (IS3)
1E | 0000001E | RECORD SEPARATOR (IS2)
1F | 0000001F | UNIT SEPARATOR (IS1)
20 | 00000020 | SPACE
21 | 00000021 | EXCLAMATION MARK
22 | 00000022 | QUOTATION MARK
23 | 00000023 | NUMBER SIGN
24 | 00000024 | DOLLAR SIGN
25 | 00000025 | PERCENT SIGN
26 | 00000026 | AMPERSAND
27 | 00000027 | APOSTROPHE
28 | 00000028 | LEFT PARENTHESIS
29 | 00000029 | RIGHT PARENTHESIS
2A | 0000002A | ASTERISK
2B | 0000002B | PLUS SIGN
2C | 0000002C | COMMA
2D | 0000002D | HYPHEN-MINUS
2E | 0000002E | FULL STOP
2F | 0000002F | SOLIDUS
30 | 00000030 | DIGIT ZERO
31 | 00000031 | DIGIT ONE
32 | 00000032 | DIGIT TWO
33 | 00000033 | DIGIT THREE
34 | 00000034 | DIGIT FOUR
35 | 00000035 | DIGIT FIVE
36 | 00000036 | DIGIT SIX
37 | 00000037 | DIGIT SEVEN
38 | 00000038 | DIGIT EIGHT
39 | 00000039 | DIGIT NINE
3A | 0000003A | COLON
3B | 0000003B | SEMICOLON

3C | 0000003C | LESS-THAN SIGN
3D | 0000003D | EQUALS SIGN
3E | 0000003E | GREATER-THAN SIGN
3F | 0000003F | QUESTION MARK
40 | 00000040 | COMMERCIAL AT
41 | 00000041 | LATIN CAPITAL LETTER A
42 | 00000042 | LATIN CAPITAL LETTER B
43 | 00000043 | LATIN CAPITAL LETTER C
44 | 00000044 | LATIN CAPITAL LETTER D
45 | 00000045 | LATIN CAPITAL LETTER E
46 | 00000046 | LATIN CAPITAL LETTER F
47 | 00000047 | LATIN CAPITAL LETTER G
48 | 00000048 | LATIN CAPITAL LETTER H
49 | 00000049 | LATIN CAPITAL LETTER I
4A | 0000004A | LATIN CAPITAL LETTER J
4B | 0000004B | LATIN CAPITAL LETTER K
4C | 0000004C | LATIN CAPITAL LETTER L
4D | 0000004D | LATIN CAPITAL LETTER M
4E | 0000004E | LATIN CAPITAL LETTER N
4F | 0000004F | LATIN CAPITAL LETTER O
50 | 00000050 | LATIN CAPITAL LETTER P
51 | 00000051 | LATIN CAPITAL LETTER Q
52 | 00000052 | LATIN CAPITAL LETTER R
53 | 00000053 | LATIN CAPITAL LETTER S
54 | 00000054 | LATIN CAPITAL LETTER T
55 | 00000055 | LATIN CAPITAL LETTER U
56 | 00000056 | LATIN CAPITAL LETTER V
57 | 00000057 | LATIN CAPITAL LETTER W
58 | 00000058 | LATIN CAPITAL LETTER X
59 | 00000059 | LATIN CAPITAL LETTER Y
5A | 0000005A | LATIN CAPITAL LETTER Z
5B | 0000005B | LEFT SQUARE BRACKET
5C | 0000005C | REVERSE SOLIDUS

5D | 0000005D | RIGHT SQUARE BRACKET
5E | 0000005E | CIRCUMFLEX ACCENT
5F | 0000005F | LOW LINE
60 | 00000060 | GRAVE ACCENT
61 | 00000061 | LATIN SMALL LETTER A
62 | 00000062 | LATIN SMALL LETTER B
63 | 00000063 | LATIN SMALL LETTER C
64 | 00000064 | LATIN SMALL LETTER D
65 | 00000065 | LATIN SMALL LETTER E
66 | 00000066 | LATIN SMALL LETTER F
67 | 00000067 | LATIN SMALL LETTER G
68 | 00000068 | LATIN SMALL LETTER H
69 | 00000069 | LATIN SMALL LETTER I
6A | 0000006A | LATIN SMALL LETTER J
6B | 0000006B | LATIN SMALL LETTER K
6C | 0000006C | LATIN SMALL LETTER L
6D | 0000006D | LATIN SMALL LETTER M
6E | 0000006E | LATIN SMALL LETTER N
6F | 0000006F | LATIN SMALL LETTER O
70 | 00000070 | LATIN SMALL LETTER P
71 | 00000071 | LATIN SMALL LETTER Q
72 | 00000072 | LATIN SMALL LETTER R
73 | 00000073 | LATIN SMALL LETTER S
74 | 00000074 | LATIN SMALL LETTER T
75 | 00000075 | LATIN SMALL LETTER U
76 | 00000076 | LATIN SMALL LETTER V
77 | 00000077 | LATIN SMALL LETTER W
78 | 00000078 | LATIN SMALL LETTER X
79 | 00000079 | LATIN SMALL LETTER Y
7A | 0000007A | LATIN SMALL LETTER Z
7B | 0000007B | LEFT CURLY BRACKET
7C | 0000007C | VERTICAL LINE
7D | 0000007D | RIGHT CURLY BRACKET

7E | 0000007E | TILDE
7F | 0000007F | DELETE (DEL)
80 | 00000080 | PADDING CHARACTER (PAD)
81 | 00000081 | HIGH OCTET PRESET (HOP)
82 | 00000082 | BREAK PERMITTED HERE (BPH)
83 | 00000083 | NO BREAK HERE (NBH)
84 | 00000084 | INDEX (IND)
85 | 00000085 | NEXT LINE (NEL)
86 | 00000086 | START OF SELECTED AREA (SSA)
87 | 00000087 | END OF SELECTED AREA (ESA)
88 | 00000088 | CHARACTER TABULATION SET (HTS)
89 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
8A | 0000008A | LINE TABULATION SET (VTS)
8B | 0000008B | PARTIAL LINE FORWARD (PLD)
8C | 0000008C | PARTIAL LINE BACKWARD (PLU)
8D | 0000008D | REVERSE LINE FEED (RI)
8E | 0000008E | SINGLE-SHIFT TWO (SS2)
8F | 0000008F | SINGLE-SHIFT THREE (SS3)
90 | 00000090 | DEVICE CONTROL STRING (DCS)
91 | 00000091 | PRIVATE USE ONE (PU1)
92 | 00000092 | PRIVATE USE TWO (PU2)
93 | 00000093 | SET TRANSMIT STATE (STS)
94 | 00000094 | CANCEL CHARACTER (CCH)
95 | 00000095 | MESSAGE WAITING (MW)
96 | 00000096 | START OF GUARDED AREA (SPA)
97 | 00000097 | END OF GUARDED AREA (EPA)
98 | 00000098 | START OF STRING (SOS)
99 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
9A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
9B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
9C | 0000009C | STRING TERMINATOR (ST)
9D | 0000009D | OPERATING SYSTEM COMMAND (OSC)
9E | 0000009E | PRIVACY MESSAGE (PM)

9F | 000009F | APPLICATION PROGRAM COMMAND (APC)
A0 | 00000A0 | NO-BREAK SPACE
A2 | 00000A2 | CENT SIGN
A3 | 00000A3 | POUND SIGN
A4 | 00000A4 | CURRENCY SIGN
A5 | 00000A5 | YEN SIGN
A6 | 00000A6 | BROKEN BAR
A7 | 00000A7 | SECTION SIGN
A8 | 00000A8 | DIAERESIS
A9 | 00000A9 | COPYRIGHT SIGN
AA | 00000D7 | MULTIPLICATION SIGN
AB | 00000AB | LEFT-POINTING DOUBLE ANGLE QUOTATION MARK
AC | 00000AC | NOT SIGN
AD | 00000AD | SOFT HYPHEN
AE | 00000AE | REGISTERED SIGN
AF | 00000AF | MACRON
B0 | 00000B0 | DEGREE SIGN
B1 | 00000B1 | PLUS-MINUS SIGN
B2 | 00000B2 | SUPERSCRIPT TWO
B3 | 00000B3 | SUPERSCRIPT THREE
B4 | 00000B4 | ACUTE ACCENT
B5 | 00000B5 | MICRO SIGN
B6 | 00000B6 | PILCROW SIGN
B7 | 00000B7 | MIDDLE DOT
B8 | 00000B8 | CEDILLA
B9 | 00000B9 | SUPERSCRIPT ONE
BA | 00000F7 | DIVISION SIGN
BB | 00000BB | RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK
BC | 00000BC | VULGAR FRACTION ONE QUARTER
BD | 00000BD | VULGAR FRACTION ONE HALF
BE | 00000BE | VULGAR FRACTION THREE QUARTERS
DF | 00002017 | DOUBLE LOW LINE
E0 | 000005D0 | HEBREW LETTER ALEF

E1 | 000005D1 | HEBREW LETTER BET
E2 | 000005D2 | HEBREW LETTER GIMEL
E3 | 000005D3 | HEBREW LETTER DALET
E4 | 000005D4 | HEBREW LETTER HE
E5 | 000005D5 | HEBREW LETTER VAV
E6 | 000005D6 | HEBREW LETTER ZAYIN
E7 | 000005D7 | HEBREW LETTER HET
E8 | 000005D8 | HEBREW LETTER TET
E9 | 000005D9 | HEBREW LETTER YOD
EA | 000005DA | HEBREW LETTER FINAL KAF
EB | 000005DB | HEBREW LETTER KAF
EC | 000005DC | HEBREW LETTER LAMED
ED | 000005DD | HEBREW LETTER FINAL MEM
EE | 000005DE | HEBREW LETTER MEM
EF | 000005DF | HEBREW LETTER FINAL NUN
F0 | 000005E0 | HEBREW LETTER NUN
F1 | 000005E1 | HEBREW LETTER SAMEKH
F2 | 000005E2 | HEBREW LETTER AYIN
F3 | 000005E3 | HEBREW LETTER FINAL PE
F4 | 000005E4 | HEBREW LETTER PE
F5 | 000005E5 | HEBREW LETTER FINAL TSADI
F6 | 000005E6 | HEBREW LETTER TSADI
F7 | 000005E7 | HEBREW LETTER QOF
F8 | 000005E8 | HEBREW LETTER RESH
F9 | 000005E9 | HEBREW LETTER SHIN
FA | 000005EA | HEBREW LETTER TAV
FD | 0000200E | LEFT-TO-RIGHT MARK
FE | 0000200F | RIGHT-TO-LEFT MARK

AUTHOR

Copyright (C) 2002-2016 Guido Flohr <<http://www.guido-flohr.net/>>

(<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!`code for details!`

SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)

perl v5.34.0

2022-02-06

Locale::RecodeData::ISO_8859_8(3pm)