



## ***Linux Ubuntu 22.4.5 Manual Pages on command 'Log::Any::Adapter::Null.3pm'***

***\$ man Log::Any::Adapter::Null.3pm***

Log::Any::Adapter::Null(3pm) User Contributed Perl DocumentatioLog::Any::Adapter::Null(3pm)

### NAME

Log::Any::Adapter::Null - Discards all log messages

### VERSION

version 1.708

### SYNOPSIS

```
Log::Any::Adapter->set('Null');
```

### DESCRIPTION

This Log::Any adapter discards all log messages and returns false for all detection methods (e.g. is\_debug). This is the default adapter when Log::Any is loaded.

### SEE ALSO

Log::Any, Log::Any::Adapter

### AUTHORS

- ? Jonathan Swartz <swartz@pobox.com>
- ? David Golden <dagolden@cpan.org>
- ? Doug Bell <preaction@cpan.org>
- ? Daniel Pittman <daniel@rimspace.net>
- ? Stephen Thirlwall <sdt@cpan.org>

### COPYRIGHT AND LICENSE

This software is copyright (c) 2017 by Jonathan Swartz, David Golden, and Doug Bell.

This is free software; you can redistribute it and/or modify it under the same

terms as the Perl 5 programming language system itself.

perl v5.30.0

2020-01-24

Log::Any::Adapter::Null(3pm)