



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Mail::Field::Date.3pm'***

***\$ man Mail::Field::Date.3pm***

Mail::Field::Date(3pm)      User Contributed Perl Documentation      Mail::Field::Date(3pm)

**NAME**

Mail::Field::Date - a date header field

**INHERITANCE**

Mail::Field::Date

is a Mail::Field

**SYNOPSIS**

```
use HTTP::Date 'time2iso';
```

```
my $field = Mail::Field->new(Date => time2iso());
```

**DESCRIPTION**

Represents one "Date" header field.

Extends "DESCRIPTION" in Mail::Field.

**METHODS**

Extends "METHODS" in Mail::Field.

**Constructors**

Extends "Constructors" in Mail::Field.

Mail::Field::Date->combine(\$fields)

Inherited, see "Constructors" in Mail::Field

Mail::Field::Date->extract( \$tag, \$head [, \$index ] )

Inherited, see "Constructors" in Mail::Field

Mail::Field::Date->new( \$tag [, STRING | %options] )

Inherited, see "Constructors" in Mail::Field

## "Fake" constructors

Extends ""Fake" constructors" in Mail::Field.

\$obj->create(%options)

Inherited, see ""Fake" constructors" in Mail::Field

\$obj->parse()

Inherited, see ""Fake" constructors" in Mail::Field

## Accessors

Extends "Accessors" in Mail::Field.

\$obj->set(%options)

-Option --Default

Time undef

TimeStr undef

Time => SECONDS

TimeStr => STRING

A string acceptable to Date::Parse.

\$obj->stringify()

Inherited, see "Accessors" in Mail::Field

`$obj->tag()`

`Mail::Field::Date->tag()`

Inherited, see "Accessors" in `Mail::Field`

## Smart accessors

Extends "Smart accessors" in `Mail::Field`.

`$obj->text( [STRING] )`

Inherited, see "Smart accessors" in `Mail::Field`

`$obj->time( [$time] )`

Query (or change) the `$time` (as stored in the field) in seconds.

## DETAILS

Extends "DETAILS" in `Mail::Field`.

## DIAGNOSTICS

Error: Undefined subroutine `<method>` called

`Mail::Field` objects use autoloading to compile new functionality. Apparently, the method called is not implemented for the specific class of the field object.

## SEE ALSO

This module is part of the MailTools distribution, <http://perl.overmeer.net/mailtools/>.

## AUTHORS

The MailTools bundle was developed by Graham Barr. Later, Mark Overmeer took over maintenance without commitment to further development.

`Mail::Cap` by Gisle Aas <aas@oslonett.no>. `Mail::Field::AddrList` by Peter Orbaek <poe@cit.dk>. `Mail::Mailer` and `Mail::Send` by Tim Bunce <Tim.Bunce@ig.co.uk>. For other contributors see `ChangeLog`.

## LICENSE

Copyrights 1995-2000 Graham Barr <gbarr@pobox.com> and 2001-2017 Mark Overmeer  
<perl@overmeer.net>.

This program is free software; you can redistribute it and/or modify it under the same  
terms as Perl itself. See <http://www.perl.com/perl/misc/Artistic.html>

perl v5.28.1

2019-07-25

Mail::Field::Date(3pm)