



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ModPerl::BuildMM.3pm'

\$ man ModPerl::BuildMM.3pm

libapache2-mod-perl2-2.0.12::doUseralibapache2-mod-perl2-2.0.12::docs::api::ModPerl::BuildMM(3pm)

NAME

ModPerl::BuildMM -- A "subclass" of ModPerl::MM used for building mod_perl 2.0

SYNOPSIS

```
use ModPerl::BuildMM;

# ModPerl::BuildMM takes care of doing all the dirty job of overriding
ModPerl::BuildMM::WriteMakefile(...);

# if there is a need to extend the methods

sub MY::postamble {

    my $self = shift;

    my $string = $self->ModPerl::BuildMM::MY::postamble;

    $string .= "\nmydist : manifest tardist\n";

    return $string;

}
```

DESCRIPTION

"ModPerl::BuildMM" is a "subclass" of "ModPerl::MM" used for building mod_perl 2.0. Refer to "ModPerl::MM" manpage.

OVERRIDEN METHODS

"ModPerl::BuildMM" overrides the following methods:

"ModPerl::BuildMM::MY::constants"

"ModPerl::BuildMM::MY::top_targets"

"ModPerl::BuildMM::MY::postamble"

"ModPerl::BuildMM::MY::post_initialize"

"ModPerl::BuildMM::MY::libscan"

perl v5.34.0

libapache2-mod-perl2-2.0.12::docs::api::ModPerl::BuildMM(3pm)