



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Moo::Role.3pm'***

***\$ man Moo::Role.3pm***

Moo::Role(3pm)            User Contributed Perl Documentation            Moo::Role(3pm)

NAME

Moo::Role - Minimal Object Orientation support for Roles

SYNOPSIS

```
package My::Role;
```

```
use Moo::Role;
```

```
use strictures 2;
```

```
sub foo { ... }
```

```
sub bar { ... }
```

```
has baz => (
```

```
  is => 'ro',
```

```
);
```

```
1;
```

And elsewhere:

```
package Some::Class;
```

```
use Moo;
```

```
use strictures 2;
```

```
# bar gets imported, but not foo
```

```
with 'My::Role';
```

```
sub foo { ... }
```

```
1;
```

## DESCRIPTION

"Moo::Role" builds upon Role::Tiny, so look there for most of the documentation on how this works (in particular, using "Moo::Role" also enables strict and warnings). The main addition here is extra bits to make the roles more "Moosey;" which is to say, it adds "has".

## IMPORTED SUBROUTINES

See "IMPORTED SUBROUTINES" in Role::Tiny for all the other subroutines that are imported by this module.

has

```
has attr => (  
  is => 'ro',  
);
```

Declares an attribute for the class to be composed into. See "has" in Moo for all options.

## CLEANING UP IMPORTS

Moo::Role cleans up its own imported methods and any imports declared before the "use Moo::Role" statement automatically. Anything imported after "use Moo::Role" will be

composed into consuming packages. A package that consumes this role:

```
package My::Role::ID;

use Digest::MD5 qw(md5_hex);
use Moo::Role;
use Digest::SHA qw(sha1_hex);

requires 'name';

sub as_md5 { my ($self) = @_; return md5_hex($self->name); }
sub as_sha1 { my ($self) = @_; return sha1_hex($self->name); }

1;
```

..will now have a "\$self->sha1\_hex()" method available to it that probably does not do what you expect. On the other hand, a call to "\$self->md5\_hex()" will die with the helpful error message: "Can't locate object method "md5\_hex"".

See "CLEANING UP IMPORTS" in Moo for more details.

## SUPPORT

See Moo for support and contact information.

## AUTHORS

See Moo for authors.

## COPYRIGHT AND LICENSE

See Moo for the copyright and license.