



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Net::DBus::Binding::Message.3pm'

\$ man Net::DBus::Binding::Message.3pm

Net::DBus::Binding::Message(3pmUser Contributed Perl DocumentatioNet::DBus::Binding::Message(3pm)

NAME

Net::DBus::Binding::Message - Base class for messages

SYNOPSIS

Sending a message

```
my $msg = new Net::DBus::Binding::Message::Signal;
```

```
my $iterator = $msg->iterator;
```

```
$iterator->append_byte(132);
```

```
$iterator->append_int32(14241);
```

```
$connection->send($msg);
```

DESCRIPTION

Provides a base class for the different kinds of message that can be sent/received.

Instances of this class are never instantiated directly, rather one of the four sub-types

Net::DBus::Binding::Message::Signal, Net::DBus::Binding::Message::MethodCall,

Net::DBus::Binding::Message::MethodReturn, Net::DBus::Binding::Message::Error should be used.

CONSTANTS

The following constants are defined in this module. They are not exported into the caller's namespace & thus must be referenced with their fully qualified package names

TYPE_ARRAY

Constant representing the signature value associated with the array data type.

TYPE_BOOLEAN

Constant representing the signature value associated with the boolean data type.

TYPE_BYTE

Constant representing the signature value associated with the byte data type.

TYPE_DICT_ENTRY

Constant representing the signature value associated with the dictionary entry data type.

TYPE_DOUBLE

Constant representing the signature value associated with the IEEE double precision floating point data type.

TYPE_INT16

Constant representing the signature value associated with the signed 16 bit integer data type.

TYPE_INT32

Constant representing the signature value associated with the signed 32 bit integer data type.

TYPE_INT64

Constant representing the signature value associated with the signed 64 bit integer data type.

TYPE_OBJECT_PATH

Constant representing the signature value associated with the object path data type.

TYPE_STRING

Constant representing the signature value associated with the UTF-8 string data type.

TYPE_SIGNATURE

Constant representing the signature value associated with the signature data type.

TYPE_STRUCT

Constant representing the signature value associated with the struct data type.

TYPE_UINT16

Constant representing the signature value associated with the unsigned 16 bit integer data type.

TYPE_UINT32

Constant representing the signature value associated with the unsigned 32 bit integer data type.

TYPE_UINT64

Constant representing the signature value associated with the unsigned 64 bit integer data type.

TYPE_VARIANT

Constant representing the signature value associated with the variant data type.

TYPE_UNIX_FD

Constant representing the signature value associated with the unix file descriptor data type.

METHODS

```
my $msg = Net::DBus::Binding::Message->new(message => $rawmessage);
```

Creates a new message object, initializing it with the underlying C message object given by the "message" object. This constructor is intended for internal use only, instead refer to one of the four sub-types for this class for specific message types

```
my $type = $msg->get_type
```

Retrieves the type code for this message. The returned value corresponds to one of the four "Net::DBus::Binding::Message::MESSAGE_TYPE_*" constants.

```
my $interface = $msg->get_interface
```

Retrieves the name of the interface targeted by this message, possibly an empty string if there is no applicable interface for this message.

```
my $path = $msg->get_path
```

Retrieves the object path associated with the message, possibly an empty string if there is no applicable object for this message.

```
my $name = $msg->get_destination
```

Retrieves the unique or well-known bus name for client intended to be the recipient of the message. Possibly returns an empty string if the message is being broadcast to all clients.

```
my $name = $msg->get_sender
```

Retrieves the unique name of the client sending the message

```
my $serial = $msg->get_serial
```

Retrieves the unique serial number of this message. The number is guaranteed unique for as long as the connection over which the message was sent remains open. May return zero, if the message is yet to be sent.

```
my $name = $msg->get_member
```

For method calls, retrieves the name of the method to be invoked, while for signals, retrieves the name of the signal.

```
my $sig = $msg->get_signature
```

Retrieves a string representing the type signature of the values packed into the body of the message.

```
$msg->set_sender($name)
```

Set the name of the client sending the message. The name must be the unique name of the client.

```
$msg->set_destination($name)
```

Set the name of the intended recipient of the message. This is typically used for signals to switch them from broadcast to unicast.

```
my $iterator = $msg->iterator;
```

Retrieves an iterator which can be used for reading or writing fields of the message. The returned object is an instance of the "Net::DBus::Binding::Iterator" class.

```
$boolean = $msg->get_no_reply()
```

Gets the flag indicating whether the message is expecting a reply to be sent.

```
$msg->set_no_reply($boolean)
```

Toggles the flag indicating whether the message is expecting a reply to be sent. All method call messages expect a reply by default. By toggling this flag the communication latency is reduced by removing the need for the client to wait

```
my @values = $msg->get_args_list
```

De-marshall all the values in the body of the message, using the message signature to identify data types. The values are returned as a list.

```
$msg->append_args_list(@values)
```

Append a set of values to the body of the message. Values will be encoded as either a string, list or dictionary as appropriate to their Perl data type. For more specific data typing needs, the Net::DBus::Binding::Iterator object should be used instead.

AUTHOR

Daniel P. Berrange

COPYRIGHT

Copyright (C) 2004-2011 Daniel P. Berrange

SEE ALSO

Net::DBus::Binding::Server, Net::DBus::Binding::Connection,
Net::DBus::Binding::Message::Signal, Net::DBus::Binding::Message::MethodCall,
Net::DBus::Binding::Message::MethodReturn, Net::DBus::Binding::Message::Error

perl v5.34.0

2022-02-06

Net::DBus::Binding::Message(3pm)