



Full credit is given to the above companies including the OS that this PDF file was generated!

Linux Ubuntu 22.4.5 Manual Pages on command 'Net::DNS::RR::APL.3pm'

\$ man Net::DNS::RR::APL.3pm

Net::DNS::RR::APL(3pm) User Contributed Perl Documentation Net::DNS::RR::APL(3pm)

NAME

Net::DNS::RR::APL - DNS APL resource record

SYNOPSIS

use Net::DNS;

\$rr = new Net::DNS::RR('name IN APL aplist');

DESCRIPTION

DNS Address Prefix List (APL) record

METHODS

The available methods are those inherited from the base class augmented by the type-specific methods defined in this package.

Use of undocumented package features or direct access to internal data structures is discouraged and could result in program termination or other unpredictable behaviour.

aplist

```
@aplist = $rr->aplist;
@aplist = $rr->aplist( '1:192.168.32.0/21', '1:192.168.38.0/28' );
@aplist = $rr->aplist( '1:224.0.0.0/4', '2:FF00:0:0:0:0:0:0/8' );
@aplist = $rr->aplist( negate => 1,
                      family => 1,
                      address => '192.168.38.0',
                      prefix => 28,
```

);

Ordered, possibly empty, list of address prefix items. Additional items, if present, are appended to the existing list with neither prefix aggregation nor reordering.

Net::DNS::RR::APL::Item

Each element of the prefix list is a Net::DNS::RR::APL::Item object which is inextricably bound to the APL record which created it.

negate

```
$rr->negate(1);  
if ( $rr->negate ) {  
    ...  
}
```

Boolean attribute indicating the prefix to be an address range exclusion.

family

```
$family = $rr->family;  
$rr->family( $family );
```

Address family discriminant.

prefix

```
$prefix = $rr->prefix;  
$rr->prefix( $prefix );
```

Number of bits comprising the address prefix.

address

```
$address = $object->address;
```

Address portion of the prefix list item.

string

```
$string = $object->string;
```

Returns the prefix list item in the form required in zone files.

COPYRIGHT

Copyright (c)2008 Olaf Kolkman, NLnet Labs.

Portions Copyright (c)2011,2017 Dick Franks.

All rights reserved.

Package template (c)2009,2012 O.M.Kolkman and R.W.Franks.

LICENSE

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the author not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SEE ALSO

perl, Net::DNS, Net::DNS::RR, RFC3123

perl v5.30.0

2020-02-22

Net::DNS::RR::APL(3pm)