



Linux Ubuntu 22.4.5 Manual Pages on command 'Net::DNS::RR::NAPTR.3pm'

\$ man Net::DNS::RR::NAPTR.3pm

Net::DNS::RR::NAPTR(3pm) User Contributed Perl Documentation Net::DNS::RR::NAPTR(3pm)

NAME

Net::DNS::RR::NAPTR - DNS NAPTR resource record

SYNOPSIS

```
use Net::DNS;
```

```
$rr = new Net::DNS::RR('name NAPTR order preference flags service regexp replacement');
```

DESCRIPTION

DNS Naming Authority Pointer (NAPTR) resource records.

METHODS

The available methods are those inherited from the base class augmented by the type-specific methods defined in this package.

Use of undocumented package features or direct access to internal data structures is discouraged and could result in program termination or other unpredictable behaviour.

order

```
$order = $rr->order;
```

```
$rr->order( $order );
```

A 16-bit unsigned integer specifying the order in which the NAPTR records must be processed to ensure the correct ordering of rules. Low numbers are processed before high numbers.

preference

```
$preference = $rr->preference;
```

```
$rr->preference( $preference );
```

A 16-bit unsigned integer that specifies the order in which NAPTR records with equal "order" values should be processed, low numbers being processed before high numbers.

flags

```
$flags = $rr->flags;
```

```
$rr->flags( $flags );
```

A string containing flags to control aspects of the rewriting and interpretation of the fields in the record. Flags are single characters from the set [A-Z0-9].

service

```
$service = $rr->service;
```

```
$rr->service( $service );
```

Specifies the service(s) available down this rewrite path. It may also specify the protocol used to communicate with the service.

regexp

```
$regexp = $rr->regexp;
```

```
$rr->regexp;
```

A string containing a substitution expression that is applied to the original string held by the client in order to construct the next domain name to lookup.

replacement

```
$replacement = $rr->replacement;
```

```
$rr->replacement( $replacement );
```

The next NAME to query for NAPTR, SRV, or address records depending on the value of the flags field.

COPYRIGHT

Copyright (c)1997 Michael Fuhr.

Portions Copyright (c)2005 Olaf Kolkman, NLnet Labs.

Based on code contributed by Ryan Moats.

All rights reserved.

Package template (c)2009,2012 O.M.Kolkman and R.W.Franks.

LICENSE

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above

copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the author not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SEE ALSO

perl, Net::DNS, Net::DNS::RR, RFC2915, RFC2168, RFC3403

perl v5.30.0

2020-02-22

Net::DNS::RR::NAPTR(3pm)