



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Pod::Perldoc::BaseTo.3perl'***

***\$ man Pod::Perldoc::BaseTo.3perl***

Pod::Perldoc::BaseTo(3perl) Perl Programmers Reference Guide Pod::Perldoc::BaseTo(3perl)

## NAME

Pod::Perldoc::BaseTo - Base for Pod::Perldoc formatters

## SYNOPSIS

```
package Pod::Perldoc::ToMyFormat;
```

```
use parent qw( Pod::Perldoc::BaseTo );
```

```
...
```

## DESCRIPTION

This package is meant as a base of Pod::Perldoc formatters, like Pod::Perldoc::ToText, Pod::Perldoc::ToMan, etc.

It provides default implementations for the methods

```
is_pageable
```

```
write_with_binmode
```

```
output_extension
```

```
_perldoc_elem
```

The concrete formatter must implement

new

parse\_from\_file

## SEE ALSO

perldoc

## COPYRIGHT AND DISCLAIMERS

Copyright (c) 2002-2007 Sean M. Burke.

This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

This program is distributed in the hope that it will be useful, but without any warranty; without even the implied warranty of merchantability or fitness for a particular purpose.

## AUTHOR

Current maintainer: Mark Allen "<mallen@cpan.org>"

Past contributions from: brian d foy "<bdfoy@cpan.org>" Adriano R. Ferreira

"<ferreira@cpan.org>", Sean M. Burke "<sburke@cpan.org>"

perl v5.34.0

2023-11-23

Pod::Perldoc::BaseTo(3perl)