



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Pod::Simple::PullParserStartToken.3perl'

\$ man Pod::Simple::PullParserStartToken.3perl

Pod::Simple::PullParserStartTokenPerlProgrammers ReferenPod::Simple::PullParserStartToken(3perl)

NAME

Pod::Simple::PullParserStartToken -- start-tokens from Pod::Simple::PullParser

SYNOPSIS

(See Pod::Simple::PullParser)

DESCRIPTION

When you do `$parser->get_token` on a `Pod::Simple::PullParser` object, you might get an object of this class.

This is a subclass of `Pod::Simple::PullParserToken` and inherits all its methods, and adds these methods:

`$token->>tagname`

This returns the tagname for this start-token object. For example, parsing a `"=head1 ..."` line will give you a start-token with the tagname of `"head1"`, token(s) for its content, and then an end-token with the tagname of `"head1"`.

`$token->tagname(somestring)`

This changes the tagname for this start-token object. You probably won't need to do this.

`$token->tag(...)`

A shortcut for `$token->tagname(...)`

`$token->is_tag(somestring)` or `$token->is_tagname(somestring)`

These are shortcuts for `"$token->tag() eq somestring"`

`$token->attr(attrname)`

This returns the value of the `attrname` attribute for this start-token object, or

undef.

For example, parsing a `L<Foo/"Bar">` link will produce a start-token with a "to" attribute with the value "Foo", a "type" attribute with the value "pod", and a "section" attribute with the value "Bar".

`$token->attr(attrname, newvalue)`

This sets the attrname attribute for this start-token object to newvalue. You probably won't need to do this.

`$token->attr_hash`

This returns the hashref that is the attribute set for this start-token. This is useful if (for example) you want to ask what all the attributes are -- you can just do `"keys %{$token->attr_hash}"`

You're unlikely to ever need to construct an object of this class for yourself, but if you want to, call `"Pod::Simple::PullParserStartToken->new(tagname, attrhash)"`

SEE ALSO

`Pod::Simple::PullParserToken`, `Pod::Simple`, `Pod::Simple::Subclassing`

SEE ALSO

`Pod::Simple::PullParserToken`, `Pod::Simple`, `Pod::Simple::Subclassing`

SUPPORT

Questions or discussion about POD and `Pod::Simple` should be sent to the `pod-people@perl.org` mail list. Send an empty email to `pod-people-subscribe@perl.org` to subscribe.

This module is managed in an open GitHub repository,

`<https://github.com/perl-pod/pod-simple/>`. Feel free to fork and contribute, or to clone

`<git://github.com/perl-pod/pod-simple.git>` and send patches!

Patches against `Pod::Simple` are welcome. Please send bug reports to

`<bug-pod-simple@rt.cpan.org>`.

COPYRIGHT AND DISCLAIMERS

Copyright (c) 2002 Sean M. Burke.

This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

This program is distributed in the hope that it will be useful, but without any warranty; without even the implied warranty of merchantability or fitness for a particular purpose.

AUTHOR

Pod::Simple was created by Sean M. Burke <sburke@cpan.org>. But don't bother him, he's retired.

Pod::Simple is maintained by:

? Allison Randal "allison@perl.org"

? Hans Dieter Pearcey "hdp@cpan.org"

? David E. Wheeler "dwheeler@cpan.org"

perl v5.34.0

2023-11-23 Pod::Simple::PullParserStartToken(3perl)