



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Pod::Simple::PullParserTextToken.3perl'

\$ man Pod::Simple::PullParserTextToken.3perl

Pod::Simple::PullParserTextToken(PerlProgrammers ReferencPod::Simple::PullParserTextToken(3perl)

NAME

Pod::Simple::PullParserTextToken -- text-tokens from Pod::Simple::PullParser

SYNOPSIS

(See Pod::Simple::PullParser)

DESCRIPTION

When you do `$parser->get_token` on a `Pod::Simple::PullParser`, you might get an object of this class.

This is a subclass of `Pod::Simple::PullParserToken` and inherits all its methods, and adds these methods:

`$token->text`

This returns the text that this token holds. For example, parsing `C<foo>` will return a C start-token, a text-token, and a C end-token. And if you want to get the "foo" out of the text-token, call `"$token->text"`

`$token->text(somestring)`

This changes the string that this token holds. You probably won't need to do this.

`$token->text_r()`

This returns a scalar reference to the string that this token holds. This can be useful if you don't want to memory-copy the potentially large text value (well, as large as a paragraph or a verbatim block) as calling `$token->text` would do.

Or, if you want to alter the value, you can even do things like this:

```
for ( ${ $token->text_r } ) { # Aliases it with $_ !!
```

```
s/ The / the /g; # just for example
```

```
if( 'A' eq chr(65) ) { # (if in an ASCII world)
```

```
tr/\xA0/ /;
```

```
tr/\xAD//d;
```

```
}
```

...or however you want to alter the value...

(Note that starting with Perl v5.8, you can use, e.g.,

```
my $nbsp = chr utf8::unicode_to_native(0xA0);
```

```
s/$nbsp/ /g;
```

to handle the above regardless if it's an ASCII world or not)

```
}
```

You're unlikely to ever need to construct an object of this class for yourself, but if you want to, call "Pod::Simple::PullParserTextToken->new(text)"

SEE ALSO

Pod::Simple::PullParserToken, Pod::Simple, Pod::Simple::Subclassing

SUPPORT

Questions or discussion about POD and Pod::Simple should be sent to the pod-people@perl.org mail list. Send an empty email to pod-people-subscribe@perl.org to subscribe.

This module is managed in an open GitHub repository,

[<https://github.com/perl-pod/pod-simple/>](https://github.com/perl-pod/pod-simple/). Feel free to fork and contribute, or to clone

[<git://github.com/perl-pod/pod-simple.git>](https://github.com/perl-pod/pod-simple.git) and send patches!

Patches against Pod::Simple are welcome. Please send bug reports to

bug-pod-simple@rt.cpan.org.

COPYRIGHT AND DISCLAIMERS

Copyright (c) 2002 Sean M. Burke.

This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

This program is distributed in the hope that it will be useful, but without any warranty; without even the implied warranty of merchantability or fitness for a particular purpose.

AUTHOR

Pod::Simple was created by Sean M. Burke sburke@cpan.org. But don't bother him, he's retired.

Pod::Simple is maintained by:

? Allison Randal "allison@perl.org"

? Hans Dieter Pearcey "hdp@cpan.org"

? David E. Wheeler "dwheeler@cpan.org"

perl v5.34.0

2023-11-23 Pod::Simple::PullParserTextToken(3perl)