



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'TAP::Parser::Scheduler::Spinner.3perl'

\$ man TAP::Parser::Scheduler::Spinner.3perl

TAP::Parser::Scheduler::Spinner(3Perl)Programmers ReferenceTAP::Parser::Scheduler::Spinner(3perl)

NAME

TAP::Parser::Scheduler::Spinner - A no-op job.

VERSION

Version 3.43

SYNOPSIS

```
use TAP::Parser::Scheduler::Spinner;
```

DESCRIPTION

A no-op job. Returned by "TAP::Parser::Scheduler" as an instruction to the harness to spin (keep executing tests) while the scheduler can't return a real job.

METHODS

Class Methods

"new"

```
my $job = TAP::Parser::Scheduler::Spinner->new;
```

Ignores any arguments and returns a new "TAP::Parser::Scheduler::Spinner" object.

Instance Methods

`"is_spinner"`

Returns true indicating that is a 'spinner' job. Spinners are returned when the scheduler still has pending jobs but can't (because of locking) return one right now.

SEE ALSO

`TAP::Parser::Scheduler`, `TAP::Parser::Scheduler::Job`

perl v5.34.0

2023-11-23 `TAP::Parser::Scheduler::Spinner(3perl)`