



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Test2::Event::Plan.3perl'

\$ man Test2::Event::Plan.3perl

Test2::Event::Plan(3perl) Perl Programmers Reference Guide Test2::Event::Plan(3perl)

NAME

Test2::Event::Plan - The event of a plan

DESCRIPTION

Plan events are fired off whenever a plan is declared, done testing is called, or a subtext completes.

SYNOPSIS

```
use Test2::API qw/context/;

use Test2::Event::Plan;

my $ctx = context();

# Plan for 10 tests to run
my $event = $ctx->plan(10);

# Plan to skip all tests (will exit 0)
$ctx->plan(0, skip_all => "These tests need to be skipped");
```

ACCESSORS

\$num = \$plan->max

Get the number of expected tests

```
$dir = $plan->directive
```

Get the directive (such as TODO, skip_all, or no_plan).

```
$reason = $plan->reason
```

Get the reason for the directive.

SOURCE

The source code repository for Test2 can be found at

<http://github.com/Test-More/test-more/>.

MAINTAINERS

Chad Granum <exodist@cpan.org>

AUTHORS

Chad Granum <exodist@cpan.org>

COPYRIGHT

Copyright 2020 Chad Granum <exodist@cpan.org>.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

See <http://dev.perl.org/licenses/>

perl v5.34.0

2023-11-23

Test2::Event::Plan(3perl)