



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Test2::Formatter::TAP.3perl'

\$ man Test2::Formatter::TAP.3perl

Test2::Formatter::TAP(3perl) Perl Programmers Reference Guide Test2::Formatter::TAP(3perl)

NAME

Test2::Formatter::TAP - Standard TAP formatter

DESCRIPTION

This is what takes events and turns them into TAP.

SYNOPSIS

```
use Test2::Formatter::TAP;

my $tap = Test2::Formatter::TAP->new();

# Switch to utf8

$tap->encoding('utf8');

$tap->write($event, $number); # Output an event
```

METHODS

```
$bool = $tap->no_numbers

$tap->set_no_numbers($bool)

Use to turn numbers on and off.
```

```
$arrayref = $tap->handles
```

```
$tap->set_handles(\@handles);
```

Can be used to get/set the filehandles. Indexes are identified by the "OUT_STD" and "OUT_ERR" constants.

```
$encoding = $tap->encoding
```

```
$tap->encoding($encoding)
```

Get or set the encoding. By default no encoding is set, the original settings of STDOUT and STDERR are used.

This directly modifies the stored filehandles, it does not create new ones.

```
$tap->write($e, $num)
```

Write an event to the console.

SOURCE

The source code repository for Test2 can be found at <http://github.com/Test-More/test-more/>.

MAINTAINERS

Chad Granum <exodist@cpan.org>

AUTHORS

Chad Granum <exodist@cpan.org>

Kent Fredric <kentnl@cpan.org>

COPYRIGHT

Copyright 2020 Chad Granum <exodist@cpan.org>.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

See <http://dev.perl.org/licenses/>

