



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'Test2::IPC::Driver::Files.3perl'***

***\$ man Test2::IPC::Driver::Files.3perl***

Test2::IPC::Driver::Files(3perl) Perl Programmers Reference GuideTest2::IPC::Driver::Files(3perl)

NAME

Test2::IPC::Driver::Files - Temp dir + Files concurrency model.

DESCRIPTION

This is the default, and fallback concurrency model for Test2. This sends events between processes and threads using serialized files in a temporary directory. This is not particularly fast, but it works everywhere.

SYNOPSIS

```
use Test2::IPC::Driver::Files;
```

```
# IPC is now enabled
```

ENVIRONMENT VARIABLES

```
T2_KEEP_TEMPDIR=0
```

When true, the tempdir used by the IPC driver will not be deleted when the test is done.

```
T2_TEMPDIR_TEMPLATE='test2-XXXXXX'
```

This can be used to set the template for the IPC temp dir. The template should follow template specifications from File::Temp.

## SEE ALSO

See `Test2::IPC::Driver` for methods.

## SOURCE

The source code repository for Test2 can be found at  
<http://github.com/Test-More/test-more/>.

## MAINTAINERS

Chad Granum <[exodist@cpan.org](mailto:exodist@cpan.org)>

## AUTHORS

Chad Granum <[exodist@cpan.org](mailto:exodist@cpan.org)>

## COPYRIGHT

Copyright 2020 Chad Granum <[exodist@cpan.org](mailto:exodist@cpan.org)>.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

See <http://dev.perl.org/licenses/>

perl v5.34.0

2023-11-23

Test2::IPC::Driver::Files(3perl)