



Full credit is given to the above companies including the OS that this PDF file was generated!

Linux Ubuntu 22.4.5 Manual Pages on command 'Test::Lintian::Prepare.3'

\$ man Test::Lintian::Prepare.3

Test::Lintian::Prepare(3) Debian Package Checker Test::Lintian::Prepare(3)

NAME

Test::Lintian::Prepare -- routines to prepare the work directories

SYNOPSIS

```
use Test::Lintian::Prepare qw(prepare);
```

DESCRIPTION

The routines in this module prepare the work directories in which the tests are run. To do so, they use the specifications in the test set.

FUNCTIONS

prepare(SPEC_PATH, SOURCE_PATH, TEST_SET, REBUILD)

Populates a work directory SOURCE_PATH with data from the test located in SPEC_PATH. The optional parameter REBUILD forces a rebuild if true.

fillevl(SPEC_PATH, EVAL_PATH, TEST_SET, REBUILD)

Populates a evaluation directory EVAL_PATH with data from the test located in SPEC_PATH. The optional parameter REBUILD forces a rebuild if true.

fill_hash_from_hash

AUTHOR

Originally written by Felix Lechner <felix.lechner@lease-up.com> for Lintian.

SEE ALSO

lintian(1)

Lintian v2.62.0ubuntu2.2

2022-11-09

Test::Lintian::Prepare(3)