



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'URI::URL.3pm'***

***\$ man URI::URL.3pm***

URI::URL(3pm)                      User Contributed Perl Documentation                      URI::URL(3pm)

**NAME**

URI::URL - Uniform Resource Locators

**SYNOPSIS**

```
$u1 = URI::URL->new($str, $base);  
$u2 = $u1->abs;
```

**DESCRIPTION**

This module is provided for backwards compatibility with modules that depend on the interface provided by the "URI::URL" class that used to be distributed with the libwww-perl library.

The following differences exist compared to the "URI" class interface:

- ? The URI::URL module exports the url() function as an alternate constructor interface.
- ? The constructor takes an optional \$base argument. The "URI::URL" class is a subclass of "URI::WithBase".
- ? The URI::URL->newlocal class method is the same as URI::file->new\_abs.

- ? URI::URL::strict(1)
  
- ? \$url->print\_on method
  
- ? \$url->crack method
  
- ? \$url->full\_path: same as (\$url->abs\_path || "/")
  
- ? \$url->netloc: same as \$url->authority
  
- ? \$url->epath, \$url->equery: same as \$url->path, \$url->query
  
- ? \$url->path and \$url->query pass unescaped strings.
  
- ? \$url->path\_components: same as \$url->path\_segments (if you don't consider path segment parameters)
  
- ? \$url->params and \$url->eparams methods
  
- ? \$url->base method. See URI::WithBase.
  
- ? \$url->abs and \$url->rel have an optional \$base argument. See URI::WithBase.
  
- ? \$url->frag: same as \$url->fragment
  
- ? \$url->keywords: same as \$url->query\_keywords
  
- ? \$url->localpath and friends map to \$url->file.
  
- ? \$url->address and \$url->encoded822addr: same as \$url->to for mailto URI
  
- ? \$url->groupart method for news URI

? \$url->article: same as \$uri->message

## SEE ALSO

URI, URI::WithBase

## COPYRIGHT

Copyright 1998-2000 Gisle Aas.

perl v5.32.1

2021-10-26

URI::URL(3pm)