



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Unicode::Collate::CJK::Stroke.3perl'

\$ man Unicode::Collate::CJK::Stroke.3perl

Unicode::Collate::CJK::Stroke(3pePerl Programmers Reference GUnicode::Collate::CJK::Stroke(3perl)

NAME

Unicode::Collate::CJK::Stroke - weighting CJK Unified Ideographs for Unicode::Collate

SYNOPSIS

```
use Unicode::Collate;

use Unicode::Collate::CJK::Stroke;

my $collator = Unicode::Collate->new(
    overrideCJK => \&Unicode::Collate::CJK::Stroke::weightStroke
);
```

DESCRIPTION

"Unicode::Collate::CJK::Stroke" provides "weightStroke()", that is adequate for "overrideCJK" of "Unicode::Collate" and makes tailoring of CJK Unified Ideographs in the order of CLDR's stroke ordering.

CAVEAT

The stroke ordering includes some characters that are not CJK Unified Ideographs and can't utilize "weightStroke()" for collation. For them, use "entry" instead.

SEE ALSO

CLDR - Unicode Common Locale Data Repository

<<http://cldr.unicode.org/>>

Unicode Locale Data Markup Language (LDML) - UTS #35

<<http://www.unicode.org/reports/tr35/>>

Unicode::Collate

Unicode::Collate::Locale

perl v5.34.0

2023-11-23

Unicode::Collate::CJK::Stroke(3perl)