



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'X11::Protocol::Ext::DPMS.3pm'

\$ man X11::Protocol::Ext::DPMS.3pm

Protocol::Ext::DPMS(3pm) User Contributed Perl Documentation Protocol::Ext::DPMS(3pm)

NAME

X11::Protocol::Ext::DPMS - Perl module for the X11 Protocol DPMS Extension

SYNOPSIS

```
use X11::Protocol;  
  
$x = X11::Protocol->new();  
  
$x->init_extension('DPMS');
```

DESCRIPTION

This module is used to control the DPMS features of compliant monitors.

SYMBOLIC CONSTANTS

This extension adds the constant type DPMSPowerLevels, with values as defined in the standard.

REQUESTS

This extension adds several requests, called as shown below:

```
$x->DPMSGetVersion => ($major, $minor)
```

```
$x->DPMSCapable => ($capable)
```

`$x->DPMSGetTimeouts => ($standby_timeout, $suspend_timeout, $off_timeout)`

`$x->DPMSSetTimeouts($standby_timeout, $suspend_timeout, $off_timeout) => ()`

`$x->DPMSEnable => ()`

`$x->DPMSDisable => ()`

`$x->DPMSForceLevel($power_level) => ()`

`$x->DPMSInfo => ($power_level,$state)`

AUTHOR

Jay Kominek <jay.kominek@colorado.edu>

SEE ALSO

perl(1), X11::Protocol, X Display Power Management Signaling (DPMS) Extension (X Consortium Standard)

perl v5.32.0

2020-12-18

Protocol::Ext::DPMS(3pm)