



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'atanh.3'

\$ man atanh.3

ATANH(3)

Linux Programmer's Manual

ATANH(3)

NAME

atanh, atanhf, atanhl - inverse hyperbolic tangent function

SYNOPSIS

```
#include <math.h>

double atanh(double x);

float atanhf(float x);

long double atanhl(long double x);
```

Link with -lm.

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

atanh():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

|| __XOPEN_SOURCE >= 500

|| /* Since glibc 2.19: */ __DEFAULT_SOURCE

|| /* Glibc versions <= 2.19: */ __BSD_SOURCE || __SVID_SOURCE
```

atanhf(), atanhl():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

|| /* Since glibc 2.19: */ __DEFAULT_SOURCE

|| /* Glibc versions <= 2.19: */ __BSD_SOURCE || __SVID_SOURCE
```

DESCRIPTION

These functions calculate the inverse hyperbolic tangent of x ; that is the value whose hyperbolic tangent is x .

RETURN VALUE

On success, these functions return the inverse hyperbolic tangent of x.

If x is a NaN, a NaN is returned.

If x is +0 (-0), +0 (-0) is returned.

If x is +1 or -1, a pole error occurs, and the functions return `HUGE_VAL`, `HUGE_VALF`, or `HUGE_VALL`, respectively, with the mathematically correct sign.

If the absolute value of x is greater than 1, a domain error occurs, and a NaN is returned.

ERRORS

See `math_error(7)` for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

Domain error: x less than -1 or greater than +1

`errno` is set to `EDOM`. An invalid floating-point exception (`FE_INVALID`) is raised.

Pole error: x is +1 or -1

`errno` is set to `ERANGE` (but see `BUGS`). A divide-by-zero floating-point exception (`FE_DIVBYZERO`) is raised.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`atanh()`, `atanhf()`, `atanhl()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD.

BUGS

In glibc 2.9 and earlier, when a pole error occurs, `errno` is set to `EDOM` instead of the POSIX-mandated `ERANGE`. Since version 2.10, glibc does the right thing.

SEE ALSO

`acosh(3)`, `asinh(3)`, `catanh(3)`, `cosh(3)`, `sinh(3)`, `tanh(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the

Page 2/3

project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

ATANH(3)