



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'buildah-inspect.1'

\$ man buildah-inspect.1

buildah-inspect(1)

General Commands Manual

buildah-inspect(1)

NAME

buildah-inspect - Display information about working containers or images or manifest lists.

SYNOPSIS

buildah inspect [options] [--] object

DESCRIPTION

Prints the low-level information on Buildah object(s) (e.g. container, images, manifest lists) identified by name or ID. By default, this will render all results in a JSON array.

If the container, image, or manifest lists have the same name, this will return container JSON for an unspecified type. If a format is specified, the given template will be executed for each result.

OPTIONS

--format, -f template

Use template as a Go template when formatting the output.

Users of this option should be familiar with the text/template package <https://golang.org/pkg/text/template/> in the Go standard library, and of internals of Buildah's implementation.

--type, -t container | image | manifest

Specify whether object is a container, image or a manifest list.

EXAMPLE

buildah inspect containerID

buildah inspect --type container containerID

```
buildah inspect --type image imageID
```

```
buildah inspect --format '{{.OCIV1.Config.Env}}' alpine
```

SEE ALSO

[buildah\(1\)](#)

[buildah](#)

May 2017

[buildah-inspect\(1\)](#)