



## ***Linux Ubuntu 22.4.5 Manual Pages on command 'bundle-lock2.7.1'***

***\$ man bundle-lock2.7.1***

BUNDLE-LOCK(1)

BUNDLE-LOCK(1)

### NAME

bundle-lock - Creates / Updates a lockfile without installing

### SYNOPSIS

```
bundle lock [--update] [--local] [--print] [--lockfile=PATH] [--full-index]
[--add-platform] [--remove-platform] [--patch] [--minor] [--major] [--strict]
[--conservative]
```

### DESCRIPTION

Lock the gems specified in Gemfile.

### OPTIONS

**--update=<\*gems>**

Ignores the existing lockfile. Resolve then updates lockfile. Taking a list of gems or updating all gems if no list is given.

**--local**

Do not attempt to connect to rubygems.org. Instead, Bundler will use the gems already present in Rubygems? cache or in vendor/cache. Note that if a appropriate platform-specific gem exists on rubygems.org it will not be

found.

`--print`

Prints the lockfile to STDOUT instead of writing to the file system.

`--lockfile=<path>`

The path where the lockfile should be written to.

`--full-index`

Fall back to using the single-file index of all gems.

`--add-platform`

Add a new platform to the lockfile, re-resolving for the addition of that platform.

`--remove-platform`

Remove a platform from the lockfile.

`--patch`

If updating, prefer updating only to next patch version.

`--minor`

If updating, prefer updating only to next minor version.

`--major`

If updating, prefer updating to next major version (default).

`--strict`

If updating, do not allow any gem to be updated past latest `--patch` | `--mi?`  
nor | `--major`.

`--conservative`

If updating, use bundle install conservative update behavior and do not al?

low shared dependencies to be updated.

## UPDATING ALL GEMS

If you run `bundle lock` with `--update` option without list of gems, bundler will

ignore any previously installed gems and resolve all dependencies again based on the latest versions of all gems available in the sources.

## UPDATING A LIST OF GEMS

Sometimes, you want to update a single gem in the `Gemfile.lock`, and leave the rest of the gems that you specified locked to the versions in the `Gemfile.lock`.

For instance, you only want to update `nokogiri`, run `bundle lock --update nokogiri`.

Bundler will update `nokogiri` and any of its dependencies, but leave the rest of the gems that you specified locked to the versions in the `Gemfile.lock`.

## SUPPORTING OTHER PLATFORMS

If you want your bundle to support platforms other than the one you're running locally, you can run `bundle lock --add-platform PLATFORM` to add `PLATFORM` to the lockfile, force bundler to re-resolve and consider the new platform when picking gems, all without needing to have a machine that matches `PLATFORM` handy to install those platform-specific gems on.

For a full explanation of gem platforms, see `gem help platform`.

## PATCH LEVEL OPTIONS

See `bundle update(1)` [bundle-update.1.html](#) for details.