



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'deb-src-rules.5'

\$ man deb-src-rules.5

deb-src-rules(5)

dpkg suite

deb-src-rules(5)

NAME

deb-src-rules - Debian source package rules file

SYNOPSIS

debian/rules

DESCRIPTION

This file contains the instructions necessary to build the binary packages from the source package.

The debian/rules file is an executable Makefile, with a shebang that is usually set to "#!/usr/bin/make -f".

It must support the following make targets:

clean

Clean up the source tree, by undoing any change done by any of the build and binary targets. This target will be called with root privileges.

build-indep

binary package. If there are no architecture independent binary packages to generate, the target must still exist but do nothing. This target must not require root privileges.

build-arch

Build architecture dependent files required to build any architecture dependent binary package. If there are no architecture dependent binary packages to generate, the target must still exist but do nothing. This target must not require root privileges.

build

Build architecture independent and dependent files, either by depending (at least transitively) on build-indep and/or build-arch or by inlining what those targets would do. This target must not require root privileges.

binary-indep

Build architecture independent binary packages. This target must depend (at least transitively) on either build-indep or build. This target will be called with root privileges.

binary-arch

Build architecture dependent binary packages. This target must depend (at least transitively) on either build-arch or build. This target will be called with root privileges.

binary

Build architecture independent and dependent binary packages, either by depending (at least transitively) on binary-indep and/or binary-arch or by inlining what those targets would do. This target will be called with root privileges.

SEE ALSO

[dpkg-architecture\(1\)](#), [dpkg-vendor\(1\)](#), [dpkg-buildflags\(1\)](#), [dpkg-parsechangelog\(1\)](#), [dpkg-shlibdeps\(1\)](#), [dpkg-gencontrol\(1\)](#), [dpkg-deb\(1\)](#), [dpkg-distaddfile\(1\)](#).

