



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'dh\_perl\_openssl.1'***

***\$ man dh\_perl\_openssl.1***

DH\_PERL\_OPENSSL(1)      User Contributed Perl Documentation      DH\_PERL\_OPENSSL(1)

**NAME**

dh\_perl\_openssl - add dependencies required for OpenSSL modules

**SYNOPSIS**

dh\_perl\_openssl [debhelper options]

**DESCRIPTION**

dh\_perl\_openssl is a debhelper program that is responsible for adding a dependency on perl-openssl-abi-\* to the \${perl:Depends} substitution variable. Such a dependency is needed for packages that expose the OpenSSL binary interface to Perl code, such as pointers to "SSL\_CTX" structs.

A debhelper addon is also provided. This makes it possible to just use

```
#!/usr/bin/make -f
```

```
%:
```

```
dh $@ --with perl_openssl
```

for debian/rules.

Alternatively, since perl-openssl-defaults/4 you can just build depend on dh-sequence-

perl-openssl and omit the "--with perl\_openssl" part.

## SEE ALSO

debhelper(7)

<<http://bugs.debian.org/848113>>

## COPYRIGHT AND LICENSE

Based on dh\_perl\_dbi in the libdbi-perl package by Angar Buchardt.

Copyright 2010, Ansgar Burchardt <[ansgar@debian.org](mailto:ansgar@debian.org)>

Copyright 2016, Niko Tyni <[ntyni@debian.org](mailto:ntyni@debian.org)>

This program is free software, you can redistribute it and/or modify it under the same terms as Perl itself.

perl v5.32.1

2021-11-24

DH\_PERL\_OPENSSL(1)