



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-container-exists.1'***

**\$ man docker-container-exists.1**

podman-container-exists(1)()

podman-container-exists(1)()

#### **NAME**

podman-container-exists - Check if a container exists in local storage

#### **SYNOPSIS**

podman container exists [options] container

#### **DESCRIPTION**

podman container exists checks if a container exists in local storage. The container ID or

name is used as input. Podman will return an exit code of 0 when the container is found.

A 1 will be returned otherwise. An exit code of 125 indicates there was an issue accessing

the local storage.

#### **OPTIONS**

--external

Check for external containers as well as Podman containers. These external containers are generally created via other container technology such as Buildah or CRI-O.

The default is false.

-h, --help

Prints usage statement.

The default is false.

#### **EXAMPLES**

Check if an container called "webclient" exists in local storage. Here, the container does exist.

\$ podman container exists webclient

\$ echo \$?

0

Check if an container called "webbackend" exists in local storage. Here, the container does not exist.

```
$ podman container exists webbackend
```

```
$ echo $?
```

1

Check if an container called "ubi8-working-container" created via Buildah exists in local storage. Here, the container does not exist.

```
$ podman container exists --external ubi8-working-container
```

```
$ echo $?
```

1

## SEE ALSO

[podman\(1\)](#)

## HISTORY

November 2018, Originally compiled by Brent Baude [bbaude@redhat.com](mailto:bbaude@redhat.com) ?mailto:bbaude@redhat.com?

[podman-container-exists\(1\)\(\)](#)