



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-manifest-create.1'

\$ man docker-manifest-create.1

podman-manifest-create(1)() podman-manifest-create(1)()

NAME

podman-manifest-create - Create a manifest list or image index

SYNOPSIS

podman manifest create [options] listnameorindexname [imagename ...]

DESCRIPTION

Creates a new manifest list and stores it as an image in local storage using the specified name.

If additional images are specified, they are added to the newly-created list or index.

OPTIONS

--all

If any of the images which should be added to the new list or index are themselves lists or indexes, add all of their contents. By default, only one image from such a list will be added to the newly-created list or index.

EXAMPLES

```
podman manifest create mylist:v1.11
9cfd24048d5fc80903f088f1531a21bff01172abe66effa8941a4c2308dc745f
podman manifest create mylist:v1.11 docker://fedora
5c2bc76bfb4ba6665a7973f7e1c05ee0536b4580637f27adc9fa5a4b2bc03cf1
podman manifest create --all mylist:v1.11 docker://fedora
30330571e79c65288a4fca421d9aed29b0210d57294d9c2056743fdcf6e3967b
```

SEE ALSO

podman(1), podman-manifest(1), podman-manifest-add(1), podman-manifest-inspect(1), podman-

manifest-push(1), podman-manifest-remove(1), podman-rmi(1)

podman-manifest-create(1)