




**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-pod.1'***

***\$ man docker-pod.1***

```
podman-pod(1)()                                podman-pod(1)()

NAME

    podman-pod - Management tool for groups of containers, called pods

SYNOPSIS

    podman pod subcommand

DESCRIPTION

    podman pod is a set of subcommands that manage pods, or groups of containers.

SUBCOMMANDS

    ?????????????????????????????????????????????????????????????????
    ?Command ? Man Page          ? Description          ?
    ?????????????????????????????????????????????????????????????????
    ?create ? podman-pod-create(1) ? Create a new pod.    ?
    ?????????????????????????????????????????????????????????????????
    ?exists ? podman-pod-exists(1) ? Check if a pod exists in ?
    ?      ?                  ? local storage.          ?
    ?????????????????????????????????????????????????????????????????
    ?inspect ? podman-pod-inspect(1) ? Displays information de? ?
    ?      ?                  ? scribing a pod.          ?
    ?????????????????????????????????????????????????????????????????
    ?kill ? podman-pod-kill(1) ? Kill the main process of ?
    ?      ?                  ? each container in one or ?
    ?      ?                  ? more pods.              ?
    ?????????????????????????????????????????????????????????????????
```

?logs ? podman-pod-logs(1) ? Displays logs for pod ?  
?  
? ? with one or more contain? ?  
?  
? ? ers. ?  
????????????????????????????????????????????????????????????  
?pause ? podman-pod-pause(1) ? Pause one or more pods. ?  
????????????????????????????????????????????????????????????  
?prune ? podman-pod-prune(1) ? Remove all stopped pods ?  
?  
? ? and their containers. ?  
????????????????????????????????????????????????????????????  
?ps ? podman-pod-ps(1) ? Prints out information ?  
?  
? ? about pods. ?  
????????????????????????????????????????????????????????????  
?restart ? podman-pod-restart(1) ? Restart one or more pods. ?  
????????????????????????????????????????????????????????????  
?rm ? podman-pod-rm(1) ? Remove one or more ?  
?  
? ? stopped pods and contain? ?  
?  
? ? ers. ?  
????????????????????????????????????????????????????????????  
?start ? podman-pod-start(1) ? Start one or more pods. ?  
????????????????????????????????????????????????????????????  
?stats ? podman-pod-stats(1) ? Display a live stream of ?  
?  
? ? resource usage stats for ?  
?  
? ? containers in one or more ?  
?  
? ? pods. ?  
????????????????????????????????????????????????????????????  
?stop ? podman-pod-stop(1) ? Stop one or more pods. ?  
????????????????????????????????????????????????????????????  
?top ? podman-pod-top(1) ? Display the running pro? ?  
?  
? ? cesses of containers in a ?  
?  
? ? pod. ?  
????????????????????????????????????????????????????????????  
?unpause ? podman-pod-unpause(1) ? Unpause one or more pods. ?  
????????????????????????????????????????????????????????????

## SEE ALSO

`podman(1)`

## HISTORY

July 2018, Originally compiled by Peter Hunt [pehunt@redhat.com](mailto:pehunt@redhat.com) ?mailto:pehunt@redhat.com?

`podman-pod(1)`