



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'dumpe2fs.8'

\$ man dumpe2fs.8

DUMPE2FS(8)

System Manager's Manual

DUMPE2FS(8)

NAME

dumpe2fs - dump ext2/ext3/ext4 file system information

SYNOPSIS

dumpe2fs [-bfghixV] [-o superblock=superblock] [-o blocksize=blocksize] device

DESCRIPTION

dumpe2fs prints the super block and blocks group information for the file system present on device.

Note: When used with a mounted file system, the printed information may be old or inconsistent.

OPTIONS

-b print the blocks which are reserved as bad in the file system.

-o superblock=superblock

use the block superblock when examining the file system. This option is not usually needed except by a file system wizard who is examining the remains of a very badly corrupted file system.

-o blocksize=blocksize

use blocks of blocksize bytes when examining the file system. This option is not usually needed except by a file system wizard who is examining the remains of a very badly corrupted file system.

-f force dumpe2fs to display a file system even though it may have some file system feature flags which dumpe2fs may not understand (and which can cause some of dumpe2fs's display to be suspect).

-g display the group descriptor information in a machine readable colon-separated value format. The fields displayed are the group number; the number of the first block in the group; the superblock location (or -1 if not present); the range of blocks used by the group descriptors (or -1 if not present); the block bitmap location; the inode bitmap location; and the range of blocks used by the inode table.

-h only display the superblock information and not any of the block group descriptor detail information.

-i display the file system data from an image file created by e2image, using device as the pathname to the image file.

-m If the mmp feature is enabled on the file system, check if device is in use by another node, see e2mmpstatus(8) for full details. If used together with the -i option, only the MMP block information is printed.

-x print the detailed group information block numbers in hexadecimal format

-V print the version number of dumpe2fs and exit.

EXIT CODE

dumpe2fs exits with a return code of 0 if the operation completed without errors. It will exit with a non-zero return code if there are any errors, such as problems reading a valid superblock, bad checksums, or if the device is in use by another node and -m is specified.

BUGS

You may need to know the physical file system structure to understand the output.

AUTHOR

dumpe2fs was written by Remy Card <Remy.Card@linux.org>. It is currently being maintained by Theodore Ts'o <tytso@alum.mit.edu>.

AVAILABILITY

dumpe2fs is part of the e2fsprogs package and is available from <http://e2fsprogs.sourceforge.net>.

SEE ALSO

[e2fsck\(8\)](#), [e2mmpstatus\(8\)](#), [mke2fs\(8\)](#), [tune2fs\(8\)](#), [ext4\(5\)](#)

E2fsprogs version 1.46.5

December 2021

DUMPE2FS(8)