

ENV(1)

User Commands

ENV(1)

NAME

env - run a program in a modified environment

SYNOPSIS

env [OPTION]... [-] [NAME=VALUE]... [COMMAND [ARG]...]

DESCRIPTION

Set each **NAME** to **VALUE** in the environment and run **COMMAND**.

Mandatory arguments to long options are mandatory for short options too.

-i, --ignore-environment

start with an empty environment

-0, --null

end each output line with **NUL**, not newline

-u, --unset=NAME

remove variable from the environment

-C, --chdir=DIR

-S, --split-string=S

process and split S into separate arguments; used to pass multiple arguments on shebang lines

-v, --debug

print verbose information for each processing step

--help display this help and exit

--version

output version information and exit

A mere - implies -i. If no COMMAND, print the resulting environment.

OPTIONS

-S/--split-string usage in scripts

The **-S** option allows specifying multiple parameters in a script. Running a script named 1.pl containing the following first line:

```
#!/usr/bin/env -S perl -w -T
```

Will execute perl -w -T 1.pl .

`/usr/bin/env: 'perl -w -T': No such file or directory`

See the full documentation for more details.

AUTHOR

Written by Richard Mlynarik, David MacKenzie, and Assaf Gordon.

REPORTING BUGS

GNU coreutils online help: [<https://www.gnu.org/software/coreutils/>](https://www.gnu.org/software/coreutils/)

Report env translation bugs to [<https://translationproject.org/team/>](https://translationproject.org/team/)

COPYRIGHT

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later [<https://gnu.org/licenses/gpl.html>](https://gnu.org/licenses/gpl.html).

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation at: [<https://www.gnu.org/software/coreutils/env>](https://www.gnu.org/software/coreutils/env)

or available locally via: `info '(coreutils) env invocation'`