



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'gdk-pixbuf-query-loaders.1'***

**\$ man gdk-pixbuf-query-loaders.1**

GDK-PIXBUF-QUERY-(1)

User Commands

GDK-PIXBUF-QUERY-(1)

### **NAME**

gdk-pixbuf-query-loaders - GdkPixbuf loader registration utility

### **SYNOPSIS**

gdk-pixbuf-query-loaders [--update-cache] [MODULE...]

### **DESCRIPTION**

gdk-pixbuf-query-loaders collects information about loadable modules for gdk-pixbuf and writes it to the default cache file location, or to stdout.

If called without arguments, it looks for modules in the gdk-pixbuf loader directory.

If called with arguments, it looks for the specified modules. The arguments may be absolute or relative paths.

Normally, the output of gdk-pixbuf-queryloaders is written to

libdir/gdk-pixbuf-2.0/2.10.0/loaders.cache, where gdk-pixbuf looks for it by default. If it is written to some other location, the environment variable GDK\_PIXBUF\_MODULE\_FILE can be set to point gdk-pixbuf at the file.

### **OPTIONS**

--update-cache

Write the output to the default cache location instead of stdout

### **ENVIRONMENT**

The environment variable GDK\_PIXBUF\_MODULEDIR can be used to specify a different loader directory. The default gdk-pixbuf loader directory is libdir/gdk-pixbuf-2.0/version/loaders.