



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'git-web--browse.1'

\$ man git-web--browse.1

GIT-WEB--BROWSE(1)

Git Manual

GIT-WEB--BROWSE(1)

NAME

git-web--browse - Git helper script to launch a web browser

SYNOPSIS

git web--browse [<options>] <url|file>...

DESCRIPTION

This script tries, as much as possible, to display the URLs and FILEs that are passed as arguments, as HTML pages in new tabs on an already opened web browser.

The following browsers (or commands) are currently supported:

- ? firefox (this is the default under X Window when not using KDE)
- ? iceweasel
- ? seamonkey
- ? iceape
- ? chromium (also supported as chromium-browser)
- ? google-chrome (also supported as chrome)
- ? konqueror (this is the default under KDE, see Note about konqueror below)
- ? opera
- ? w3m (this is the default outside graphical environments)
- ? elinks
- ? links
- ? lynx
- ? dillo
- ? open (this is the default under Mac OS X GUI)

- ? start (this is the default under MinGW)
- ? cygstart (this is the default under Cygwin)
- ? xdg-open

Custom commands may also be specified.

OPTIONS

-b <browser>, --browser=<browser>

Use the specified browser. It must be in the list of supported browsers.

-t <browser>, --tool=<browser>

Same as above.

-c <conf.var>, --config=<conf.var>

CONF.VAR is looked up in the Git config files. If it's set, then its value specifies the browser that should be used.

CONFIGURATION VARIABLES

CONF.VAR (from -c option) and web.browser

The web browser can be specified using a configuration variable passed with the -c (or --config) command-line option, or the web.browser configuration variable if the former is not used.

browser.<tool>.path

You can explicitly provide a full path to your preferred browser by setting the configuration variable browser.<tool>.path. For example, you can configure the absolute path to firefox by setting browser.firefox.path. Otherwise, git web--browse assumes the tool is available in PATH.

browser.<tool>.cmd

When the browser, specified by options or configuration variables, is not among the supported ones, then the corresponding browser.<tool>.cmd configuration variable will be looked up. If this variable exists then git web--browse will treat the specified tool as a custom command and will use a shell eval to run the command with the URLs passed as arguments.

NOTE ABOUT KONQUEROR

When konqueror is specified by a command-line option or a configuration variable, we launch kfclient to try to open the HTML man page on an already opened konqueror in a new tab if possible.

For consistency, we also try such a trick if browser.konqueror.path is set to something

like A_PATH_TO/konqueror. That means we will try to launch A_PATH_TO/kfmclient instead.

If you really want to use konqueror, then you can use something like the following:

```
[web]
browser = konq
[browser "konq"]
cmd = A_PATH_TO/konqueror
```

Note about git-config --global

Note that these configuration variables should probably be set using the --global flag, for example like this:

```
$ git config --global web.browser firefox
```

as they are probably more user specific than repository specific. See git-config(1) for more information about this.

GIT

Part of the git(1) suite

Git 2.34.1

07/07/2023

GIT-WEB--BROWSE(1)