



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ilogbl.3'

\$ *man* *ilogbl.3*

ILOGB(3)

Linux Programmer's Manual

ILOGB(3)

NAME

`ilogb, ilogbf, ilogbl` - get integer exponent of a floating-point value

SYNOPSIS

```
#include <math.h>  
  
int ilogb(double x);  
  
int ilogbf(float x);  
  
int ilogbl(long double
```

Link with -Im.

Feature Test Macro Requirements for glibc (see [feature_test_macros\(7\)](#)):

ilogb():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
|| _XOPEN_SOURCE >= 500
|| /* Since glibc 2.19: */ _DEFAULT_SOURCE
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

jlogbf(), jlogbl();

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
|| /* Since glibc 2.19: */ _DEFAULT_SOURCE
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

DESCRIPTION

These functions return the exponent part of their argument as a signed integer. When no error occurs, these functions are equivalent to the corresponding `logb(3)` functions, cast to `int`.

RETURN VALUE

On success, these functions return the exponent of x , as a signed integer.

If x is zero, then a domain error occurs, and the functions return FP_ILOGB0.

If x is a NaN, then a domain error occurs, and the functions return FP_ILOGBNAN.

If x is negative infinity or positive infinity, then a domain error occurs, and the functions return INT_MAX.

ERRORS

See math_error(7) for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

Domain error: x is 0 or a NaN

An invalid floating-point exception (FE_INVALID) is raised, and errno is set to EDOM (but see BUGS).

Domain error: x is an infinity

An invalid floating-point exception (FE_INVALID) is raised, and errno is set to EDOM (but see BUGS).

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?ilogb(), ilogbf(), ilogbl() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

BUGS

Before version 2.16, the following bugs existed in the glibc implementation of these functions:

* The domain error case where x is 0 or a NaN did not cause errno to be set or (on some architectures) raise a floating-point exception.

* The domain error case where x is an infinity did not cause errno to be set or raise a floating-point exception.

SEE ALSO

log(3), logb(3), significand(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

ILOGB(3)