



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'log2l.3'

\$ man log2l.3

LOG2(3)

Linux Programmer's Manual

LOG2(3)

NAME

`log2, log2f, log2l` - base-2 logarithmic function

SYNOPSIS

```
#include <math.h>

double log2(double x);

float log2f(float x);

long double log2l(long double x);
```

Link with -Im.

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

log2(), log2f(), log2l():

_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

DESCRIPTION

These functions return the base 2 logarithm of x.

RETURN VALUE

On success, these functions return the base 2 logarithm of x .

For special cases, including where x is 0, 1, negative, infinity, or NaN, see `log(3)`.

ERRORS

See [math_error\(7\)](#) for information on how to determine whether an error has occurred when calling these functions.

For a discussion of the errors that can occur for these functions, see [log\(3\)](#).

VERSIONS

These functions first appeared in glibc in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?log2(), log2f(), log2l() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD.

SEE ALSO

cbrt(3), clog2(3), log(3), log10(3), sqrt(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

LOG2(3)