



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'memccpy.3'

\$ man memccpy.3

MEMCCPY(3)

Linux Programmer's Manual

MEMCCPY(3)

NAME

memccpy - copy memory area

SYNOPSIS

```
#include <string.h>

void *memccpy(void *dest, const void *src, int c, size_t n);
```

DESCRIPTION

The `memccpy()` function copies no more than `n` bytes from memory area `src` to memory area `dest`, stopping when the character `c` is found.

If the memory areas overlap, the results are undefined.

RETURN VALUE

The `memccpy()` function returns a pointer to the next character in `dest` after `c`, or `NULL` if `c` was not found in the first `n` characters of `src`.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`memccpy()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, SVr4, 4.3BSD.

SEE ALSO

bcopy(3), bstring(3), memcpy(3), memmove(3), strcpy(3), strncpy(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

MEMCCPY(3)