



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'mkfs.bfs.8'

\$ man mkfs.bfs.8

MKFS.BFS(8)

System Administration

MKFS.BFS(8)

NAME

mkfs.bfs - make an SCO bfs filesystem

SYNOPSIS

mkfs.bfs [options] device [block-count]

DESCRIPTION

`mkfs.bfs` creates an SCO bfs filesystem on a block device (usually a disk partition or a file accessed via the loop device).

The block-count parameter is the desired size of the filesystem, in blocks. If nothing is specified, the entire partition will be used.

OPTIONS

-N, --inodes number

Specify the desired number of inodes (at most 512). If nothing is specified, some default number in the range 48-512 is picked depending on the size of the partition.

-V --vname label

Specify the volume label. I have no idea if/where this is used.

-F --fname name

Specify the filesystem name. I have no idea if/where this is used

-v --verbose

Explain what is being done

-6

This option is silently ignored

This option is silently ignored.

-h, --help

Display help text and exit.

-V, --version

Display version information and exit. Option -V only works as --version when it is the only option.

EXIT STATUS

The exit status returned by mkfs.bfs is 0 when all went well, and 1 when something went wrong.

SEE ALSO

[mkfs\(8\)](#)

REPORTING BUGS

For bug reports, use the issue tracker at <https://github.com/karelzak/util-linux/issues>.

AVAILABILITY

The mkfs.bfs command is part of the util-linux package which can be downloaded from Linux Kernel Archive <<https://www.kernel.org/pub/linux/utils/util-linux/>>.

util-linux 2.37.2

2021-06-02

MKFS.BFS(8)