



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'ossl\_store.7ssl'***

***\$ man ossl\_store.7ssl***

OSSL\_STORE(7SSL)                      OpenSSL                      OSSL\_STORE(7SSL)

NAME

ossl\_store - Store retrieval functions

SYNOPSIS

```
#include <openssl/store.h>
```

DESCRIPTION

General

A STORE is a layer of functionality to retrieve a number of supported objects from a repository of any kind, addressable as a filename or as a URI.

The functionality supports the pattern "open a channel to the repository", "loop and retrieve one object at a time", and "finish up by closing the channel".

The retrieved objects are returned as a wrapper type OSSL\_STORE\_INFO, from which an OpenSSL type can be retrieved.

URI schemes and loaders

Support for a URI scheme is called a STORE "loader", and can be added dynamically from the calling application or from a loadable engine.

Support for the 'file' scheme is built into "libcrypto". See ossl\_store-file(7) for more information.

UI\_METHOD and pass phrases

The OSSL\_STORE API does nothing to enforce any specific format or encoding on the pass phrase that the UI\_METHOD provides. However, the pass phrase is expected to be UTF-8 encoded. The result of any other encoding is undefined.

EXAMPLES

A generic call

```
OSSL_STORE_CTX *ctx = OSSL_STORE_open("file:/foo/bar/data.pem");  
  
/*  
 * OSSL_STORE_eof() simulates file semantics for any repository to signal  
 * that no more data can be expected  
 */  
  
while (!OSSL_STORE_eof(ctx)) {  
    OSSL_STORE_INFO *info = OSSL_STORE_load(ctx);  
  
    /*  
     * Do whatever is necessary with the OSSL_STORE_INFO,  
     * here just one example  
     */  
  
    switch (OSSL_STORE_INFO_get_type(info)) {  
    case OSSL_STORE_INFO_CERT:  
        /* Print the X.509 certificate text */  
        X509_print_fp(stdout, OSSL_STORE_INFO_get0_CERT(info));  
        /* Print the X.509 certificate PEM output */  
        PEM_write_X509(stdout, OSSL_STORE_INFO_get0_CERT(info));  
        break;  
    }  
}  
  
OSSL_STORE_close(ctx);
```

SEE ALSO

OSSL\_STORE\_INFO(3), OSSL\_STORE\_LOADER(3), OSSL\_STORE\_open(3), OSSL\_STORE\_expect(3),  
OSSL\_STORE\_SEARCH(3)

COPYRIGHT

Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except  
in compliance with the License. You can obtain a copy in the file LICENSE in the source  
distribution or at <<https://www.openssl.org/source/license.html>>.